



INVITATION TO BID

ATTENTION: This is not an order. Read all instructions, terms and conditions carefully.

INVITATION NO.:	KCT-01108	RETURN ORIGINAL COPY OF BID TO:
Issue Date:	May 10, 2018	KCTCS PROCUREMENT TO PAYMENT SERVICES BID #KCT-001108 300 NORTH MAIN STREET VERSAILLES, KY 40383
Method of Award:	Best Value	
Purchasing Officer:	Joe Mattingly	
Phone:	No Phone Calls	
Bids are invited on the following: Tractor Trailer		
IMPORTANT: SEALED BIDS MUST BE RECEIVED BY May 29, 2018 by 4:00 PM Eastern Daylight Time		

1. Sealed Bids for furnishing the following will be received by the Purchasing Department, KCTCS, Versailles, Kentucky, until the date and time stated above or in Addenda. *Bid documents must be submitted in a sealed envelope identified with the Invitation to Bid number and the opening/return date on the face of the envelope* **FACSIMILE BIDS WILL NOT BE ACCEPTED.**
2. Please quote your single best net price on each item, unless a discount from list price is requested, delivered to the address specified, all transportation charges prepaid. Price shall include delivery to the department address shown on this Invitation. Submission of two (2) bids may result in disqualification of both bids.
3. Bids must be firm. Those containing escalator clauses cannot be accepted, unless provided for in Special Conditions. To receive consideration, bids must be made on this form and signed in full. Prices must be based on stated units and extended. Delivery guarantee must be shown. Bids will be rejected unless filled out in ink or on typewriter and signed in ink.
4. The KCTCS Sales Tax Exemption Number is A-20633. Certificate will be provided upon request. Do Not Quote Sales Tax. (...continued on following page.....)

**SIGNATURE REQUIRED: This bid cannot be considered valid unless signed and dated by an authorized agent of the bidder. Type or print the information requested in the spaces provided.
ALL BIDS ARE TO BE "TRANSPORTATION CHARGES PREPAID, F.O.B. DESTINATION"**

THIS AREA MUST BE COMPLETED

DELIVERY TIME:	NAME OF COMPANY	PHONE:
BID FIRM THROUGH: 12/31/2018	NO. & STREET	FAX:
PAYMENT TERMS: Net 30 days Must Accept PO	CITY, STATE & ZIP CODE	
F.O.B. DESTINATION ALL DELIVERY CHARGES TO BE INCLUDED IN PRICES SHOWN	SIGNATURE	DATE:
Email		
FEDERAL ID NUMBER (EIN):	TYPED OR PRINTED NAME	

In submitting this bid, it is expressly agreed that, upon proper acceptance by Kentucky Community and Technical College System of any or all items bid, a contract shall thereby be created with respect to the items accepted.

BIDS MAY ALSO BE VIEWED AT OUR WEBSITE: http://systemoffice.kctcs.edu/Vendor_Information.
All bids and contracts are subject to General Terms and Conditions of KCTCS. You may download/print a copy of these from our website or you may request a copy be mailed to you by contacting the Procurement to Payment Services Department at 859-256-3264.

Invitation to Bid KCT-01108

AUTHENTICATION OF BID AND STATEMENT OF NON-COLLUSION AND NON-CONFLICT OF INTEREST

I hereby swear (or affirm) under the penalty for false swearing as provided by KRS 523.040:

1. That I am the bidder (if the bidder is an individual), a partner, (if the bidder is a partnership), or an officer or employee of the bidding corporation having authority to sign on its behalf (if the bidder is a corporation);
2. That the attached bid has been arrived at by the bidder independently and has been submitted without collusion with, and without any agreement, understanding or planned common course of action with, any other vendor of materials, supplies, equipment or services described in the Invitation to Bid, designed to limit independent bidding or competition;
3. That the contents of the bid or bids have not been communicated by the bidder or its employees or agents to any person not an employee or agent of the bidder or its surety on any bond furnished with the bid or bids and will not be communicated to any such person prior to the official opening of the bid or bids;
4. That the bidder is legally entitled to enter into contracts with KCTCS and is not in violation of any prohibited conflict of interest, including those prohibited by the provisions of KRS 164.390, 61.096, and 42.990, and;
5. That I have fully informed myself regarding the accuracy of the statement made above.

NOTICE

1. Any agreement or collusion among bidders or prospective bidders which restrains, tends to restrain, or is reasonably calculated to restrain competition by agreement to bid at a fixed price or to refrain from bidding, or otherwise, is prohibited.
2. Any person who violates any provisions of KRS 45A.325 shall be guilty of a felony and shall be punished by a fine of not less than five thousand dollars nor more than ten thousand dollars, or be imprisoned not less than one year nor more than five years, or both such fine and imprisonment. Any firm, corporation, or association which violates any of the provisions of KRS 45A.325 shall, upon conviction, be fined not less than ten thousand dollars nor more than twenty thousand dollars.

SWORN STATEMENT OF COMPLIANCE WITH CAMPAIGN FINANCE LAWS

In accordance with KRS 45A.110(2), the undersigned hereby swears under penalty of perjury that he/she has not knowingly violated any provision of the campaign finance laws of the Commonwealth of Kentucky and that the award of a contract to a bidder will not violate any provision of the campaign finance laws of the Commonwealth of Kentucky.

CONTRACTOR REPORT OF PRIOR VIOLATIONS OF KRS CHAPTERS 136, 139, 141, 337, 338, 341 & 342

The contractor by signing and submitting a bid on this invitation agrees as required by 45A.485 to submit final determinations of any violations of the provisions of KRS Chapters 136, 139, 141, 337, 338, 341 and 342 that have occurred in the previous five (5) years prior to the award of a contract and agrees to remain in continuous compliance with the provisions of the statutes during the duration of any contract that may be established. Final determinations of violations of these statutes must be provided to KCTCS by the successful contractor prior to the award of a contract.

CERTIFICATION OF NON-SEGREGATED FACILITIES

The contractor, by submitting a bid on this Invitation, certifies that he/she is in compliance with the Code of Federal Regulations, No. 41 CFR 60-1.8(b), that prohibits maintaining segregated facilities.

INSTRUCTIONS TO BIDDERS:

Bidder's response on the following items must include full identification of the item(s) proposed, and be accompanied by descriptive literature, etc., to enable the purchaser to evaluate qualifications of the item(s) proposed as equal to those specified. **ALL ALTERNATE QUOTATIONS MUST BE ACCOMPANIED BY COMPLETE LITERATURE AND SPECIFICATIONS TO EVALUATE ALTERNATE QUOTE AS EQUAL TO THAT SPECIFIED. FAILURE TO PROVIDE SUFFICIENT INFORMATION WILL BE CAUSE FOR REJECTION OF THE BID.**

When a Bidder proposes to furnish the exact item specified, he shall cite, beside the item, or use the Mfg. & Model No. Proposed blank that follows the line item as follows:

1. If bidding the manufacturer and model number specified in this Invitation, write in "AS SPECIFIED".
2. If bidding an alternate model, identify by manufacturer's number and model. **- NO ALTERNATIVES**
3. If bidding a private label model, identify as private label and show stock number. **- NO ALTERNATIVES**

ALL BIDS ARE TO BE "TRANSPORTATION CHARGES PREPAID, F.O.B. DESTINATION"

METHOD OF AWARD

Unless otherwise specified, it is the intent of KCTCS to award this Invitation to Bid on a Best Value basis. In the event no satisfactory bids are received, we reserve the right to award on a group award basis. Separate purchase orders may not be issued unless there is a savings of at least \$100.00 to KCTCS.

TOTAL POINTS 100 Points

Each Supplier is responsible for submitting all relevant, factual and correct information with their offer to enable the evaluator(s) to afford each Supplier the maximum score based on the available data submitted by the Supplier. SUPPLIER SHALL ENTER UNIT PRICE AND TOTAL PRICE ON THE BID SHEET. If adequate space is not available, the Supplier must attach additional information that clearly cross-references the appropriate location in the solicitation (i.e. page number, paragraph, subject, etc.).

Price (100 points)

The bidder with the lowest Price receives the maximum score. The bidder with the next lowest Price receives points by dividing the lowest Price by the next lowest price and multiplying that percentage by the available points. For example, 95 points is allocated to the lowest Price criteria for this procurement, Bidder "A" bids \$3.00 as the lowest bidder and receives the maximum 95 points ($\$3.00 / \$3.00 = 1.00 \times 95 = 95$). Assume Bidder "B" is the next lowest bidder at \$4.00, then "B" receives 71.3 points ($\$3.00 / \$4.00 = .75 \times 95 = 71.25$).

Best Value scoring is subject to Reciprocal Preference for Kentucky resident bidders.

METHOD OF BREAKING TIE BIDS:

Tie low bids on the purchase of commodities may be broken in the following order if price and delivery are equal.

1. Time discount.
2. KRS 45A.494 Reciprocal preference to be given by public agencies to resident bidders -- List of states -- Administrative regulations. (4) If a procurement determination results in a tie between a resident bidder and a nonresident bidder, preference shall be given to the resident bidder.
3. Supplier who has performed satisfactorily in the past over supplier who has not previously served the KCTCS or who has not performed in satisfactory manner.
4. Flip of coin, witnessed by at least two KCTCS personnel.

The bid file shall be documented listing one or more of the above listed factors.

VI. KENTUCKY RECIPROCAL PREFERENCE LAWS

In accordance with KRS 45A.490 to 45A.494, Kentucky Resident Bidder Status, a resident Offeror of the Commonwealth of Kentucky shall be given a preference against a nonresident Offeror. In evaluating proposals, KCTCS will apply a reciprocal preference against an Offeror submitting a proposal from a state that grants residency preference equal to the preference given by the state of the nonresident Offeror. Residency and nonresidency shall be defined in accordance with KRS 45A.494(2) and 45A.494(3), respectively. Any Offeror claiming Kentucky residency status must submit with its bid/proposal a notarized affidavit (Resident Bidder Claim Form,) with supporting documentation affirming that it meets the criteria as set for in the above referenced statute.

Further, in accordance with KRS 45A.465 and 45A.470, any bidder wishing to claim qualified bidder status must complete and include an Affidavit for Qualified Bidder Status with their response. In evaluating responses, KCTCS will apply preference in accordance with KRS 45A.470. An Affidavit for Qualified Bidder Status forms is available from KCTCS Purchasing, upon request.

VII. Authorization to do Business in Kentucky

The Offeror affirms that it is properly authorized under the laws of the Commonwealth of Kentucky to conduct business in this state and will remain in good standing to do business in the Commonwealth of Kentucky for the duration of any contract awarded. The Offeror shall maintain certification of authority to conduct business in the Commonwealth of Kentucky during the term of this Contract. Such registration is obtained from the Secretary of State, who will also provide the certification thereof.

VIII. Bid Submittal

Bids must be received no later than the date and time show on the front page of this Invitation to Bid. All bids must be received in a sealed envelope/package clearly identified with the Invitation to Bid Number in the lower left corner.

Bidders shall not submit their standard terms and conditions with bid submission.

Invitation to Bid KCT-01108

I. **Multiple Bids**

Unless otherwise specified, only one price, brand and/or model may be proposed for each item on this Invitation to Bid. Bidders must determine their single best offering based on the manufacturers specified. Bids not conforming to this requirement may be rejected.

IX. **Kentucky Sales and Use Taxes**

Sales of tangible personal property or services to the State of Kentucky and its constitutional agencies are not subject to state sales or use taxes.

X. **Compliance with Federal Requirements**

Where this procurement involves the expenditure of federal assistance or contract grant funds, the awarded contractor shall comply with such federal law and authorized regulations which are mandatory applicable and which are not presently set forth elsewhere in this solicitation. Office of Management and Budget Circular A-102, Appendix "O" requires but is not limited to, compliance with the following provisions;

- (1) All contracts awarded in excess of \$10,000 by grantees and their contractors or sub grantees require compliance with Executive Order 11246, entitled "Equal Employment Opportunity", as amended by Executive Order 11375, and as supplemented in Department of Labor regulations (41 CFR Part 60).
- (2) All negotiated contracts (except those awarded by small purchase procedures) awarded by grantees provide that the grantee, the Federal grantor agency, the Comptroller General of the United States, or any of their duly authorized representatives, shall have access to any books, documents, papers and records of the contractor which are directly pertinent to this specific contract, for the purpose of making audit, examination excerpts and transcriptions. Contractors are to maintain all required records for three years after grantees make final payments and all other pending matters are closed.
- (3) Contracts, subcontracts and subgrants of amounts in excess of \$100,000 requires compliance with all applicable standards, orders, or requirements issued under Section 306 of the Clean Air Act (42 U.S.C. 1857 (h), Section 508 of the Clean Water Act 33 U.S.C. 1368), Executive Order 11738 and Environmental Protection Agency regulations (40 CFR Part 15), which prohibit the use under non-exempt Federal contracts, grants or loans of facilities included on the

EPA List of Violating Facilities. This provision requires reporting of violations to the grantor agency and to the U.S.E.P.A. Assistant

XI. **Inspection**

All supplies and equipment shall be subject to inspection or tests by the college prior to acceptance. In the event supplies or equipment are defective in material or workmanship or otherwise not in conformity with specified requirements, the college shall have the right to reject them or require acceptable correction at the supplier's expense.

II. **Damaged Materials**

When an order is received and found damaged, the supplier will be notified immediately concerning the course of action necessary to resolve the situation. Should replacement materials be required, said material will be replaced within ten (10) working days, unless there is just cause shown that this requirement cannot be met. A notice of disposition for damaged materials will also be required within ten (10) working days, or KCTCS, will dispose of, or return, said materials at their convenience.

XII. **Rejection of Bids**

KCTCS reserves the right to reject any and all bids when it is in the best interest of KCTCS to do so.

XIII. **Cancellation of Bids**

KCTCS reserves the right to cancel the bid when it is in the best interest of KCTCS to do so.

XIV. **Warranty**

The manufacturer's most favorable warranty offered to preferred customers shall apply to all items. A copy of such warranty shall be furnished to the college upon delivery of the equipment or product.

XV. **Oral Discussions**

Potential bidders should clearly understand that any verbal representations made or assumed to be made during any oral discussions held between representatives of potential bidders and any State employee or official are not binding on the Commonwealth of Kentucky or its constitutional agencies or colleges.

XVI. Compliance With State Laws

Any contracts or orders placed as a result of an offer shall be governed by the laws of the Commonwealth of Kentucky. The rights and obligations of the parties thereto shall be determined in accordance with these laws. Any offer conditioned upon governance by the laws of a state other than Kentucky shall not be considered.

XVII. ADA Compliance

When applicable (e.g. webpages) the Contractor's products and services will be in compliance with current Americans with Disability Act (ADA) requirements including the applicable current ADA Standards for Accessible Design, Section 508 of the Rehabilitation Act of 1973, as amended (29 U.S.C. 794d), Section 255 of the Communications Act, as amended and applicable regs.

XVIII. Post Contract Agreements

The resulting contract and KCTCS Purchase Order shall constitute the entire agreement between the parties. Unless contractually provided, KCTCS will not be required to enter into nor sign any additional agreements, leases, company orders or other documents to complete or initiate the terms of a contract that may result from an award of this Invitation to Bid. Any documents obtained shall be non-binding on KCTCS and may be considered a breach of contract.

XIX. Supplier Terms & Conditions

Responses submitted that include any additional supplier terms or conditions or contain terms and conditions in conflict with the Statutes of the Commonwealth of Kentucky shall be rejected. Suppliers shall refrain from imposing conditions that would modify the terms and conditions of the solicitation or limit the bidder's liability to KCTCS on the contract awarded on the basis of such Invitation.

XX. Questions, Solicitation Sole Point of Contact - Restriction on Communication

The KCTCS Procurement to Payment Department shall be the point of contact throughout the solicitation process regarding the terms and conditions contained in this Invitation to Bid. Contact with KCTCS other than the Procurement to Payment department may be cause for rejection of bid. This does not preclude suppliers who presently hold contracts with KCTCS from communicating with KCTCS individuals regarding existing contracts only.

Any explanation desired by a bidder regarding the meaning or interpretation of the solicitation, specifications, etc., must be requested in writing. Questions will not be addressed via telephone. Oral explanations or instructions given before the award of the contract will not be binding. In the event any item, requirement, term or condition of this Invitation to Bid is not clear, or is not according to regulation, it shall be the sole responsibility of the interested prospective bidder to inquire as to intent, or to state the exception in writing, via email to:

Joe Mattingly

KCTCS Procurement to Payment Services
joe.mattingly@kctsc.edu

All questions are to be submitted to the Purchasing Department **no later than May 17, 2018 @ 4:00pm via email to joe.mattingly@kctcs.edu.**

From the issue date of this Invitation until a supplier is selected and the selection is announced, bidders are not allowed to communicate with any KCTCS staff concerning this bid except via written questions submitted to the sole point of contact. This provision does not preclude bidders who presently hold contracts with KCTCS from communicating with Southcentral KY Community and Technical College regarding regular operations required to implement existing contracts.

XXI. Form of Proposal

BIDDER MUST BE AN AUTHORIZED DISTRIBUTOR FOR KENTUCKY TO BE CONSIDERED FOR AWARD. TECHNICAL SPECIFICATIONS INCLUDE, BUT ARE NOT LIMITED TO THE FOLLOWING:

<u>ITEM</u>	<u>QTY</u>	<u>Product Code / DESCRIPTION</u>	<u>EXTENDED PRICE</u>
1.	1	<p>2018 TRACTOR TRAILER</p> <p>MODEL PROFILE: 2018 PROSTAR+ 122 6x4 (LF687)</p> <p>MISSION: Requested GCWR: 80000. Calc. GVWR: 52350</p> <p>DIMENSION: Wheelbase: 187.00, CA: 115.35, Axle to Frame: 53.00</p> <p>ENGINE, DIESEL: {Cummins ISX 15450 ST} EPA2010450 HP@ 1800 RPM, 1450/1650 lb-ftTorque@ 1000 RPM, 1800 RPM Governed Speed, 461 Peak HP (Max)</p> <p>TRANSMISSION, MANUAL: {Eaton Fuller Advantage FAOM-15810C} 10-Speed Manual, With Overdrive, With Air Shift, With Internal Lube Oil Pump</p> <p>CLUTCH: {Eaton Fuller Solo Advantage} Self-Adjusting, Two-Plate, Cast Angle Spring; Ceramic, 15.5" Diameter, Soft Clutch 7-Spring Damper, Mechanical Pull-Type Control, 1700 lb-ft Torque Capacity</p> <p>AXLE, FRONT NON-DRIVING: {Hendrickson Steertek NXT} Wide Track, Fabricated Type, 13,200-lb Capacity</p> <p>AXLE, REAR, TANDEM: {Meritor MT-40-14X-3DER} Single Reduction, 0.374"(9.5mm) Wall Housing Thickness, 40,000-lb Capacity, R Wheel Ends, Driver Controlled Locking Differential in Rear-Rear Axle Gear Ratio: 3.25</p> <p>CAB: Conventional</p> <p>TIRE, FRONT: (2) 295/75R22.5 ECO PLUS HS3 (CONTINENTAL) 519 rev/mile, load range G, 14 ply</p> <p>TIRE, REAR: (8) 295/75R22.5 HDL2 (CONTINENTAL) 511 rev/mile, load range G, 14 ply</p> <p>SUSPENSION, REAR, AIR, TANDEM: {International} Ride Optimized Suspension (IROS) Heavy Duty; 52" Axle Spacing; 40,000-lb Capacity, 9.25" Ride Height, Includes Heavy Duty Spring Hangers, Crossmembers and Fasteners, With Shock Absorbers</p> <p>PAINT: Cab schematic 10OHR Location 1: 9219, Winter White (Std) Chassis schematic N/A</p> <p>Description: Base Chassis, Model PROSTAR+ 122 6x4 with 187.00 Wheelbase, 115.35 CA, and 53.00 Axle to Frame.</p> <p>FRAME RAILS WITH TAPERED REAR</p> <p>FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257. 2mm x 90.9mm x 8.0mm); 367.4"</p>	<p>\$ _____</p>

	<p>(9333mm) Maximum OAL</p> <p>BUMPER, FRONT 3-Piece, Plastic, Aero, Painted Body Color WHEELBASE RANGE 187" (475cm) Through and Including 219" (555cm)</p> <p>DECK PLATE Aluminum; Non Bright Finish; (2) Section Flush Mounted</p> <p>AXLE, FRONT NON-DRIVING {Hendrickson Steertek NXT} Wide Track, Fabricated Type, 13,200-lb Capacity</p> <p>SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf; 14,000-lb Capacity; With Shock Absorbers</p> <p>BRAKE SYSTEM, AIR Dual System for Tractor Applications</p> <p>BRAKES, FRONT, AIR CAM 16.5" x 5", Includes 24 SqIn Long Stroke Brake Chambers</p> <p>BRAKE CHAMBERS, ADDITIONAL (2) {Bendix} Spring Brake Type; 30/30 SqIn</p> <p>AIR BRAKE ABS {Bendix Anti-Lock Brake System} Full Vehicle Wheel Control System (4-Channel) With Automatic Traction Control</p> <p>AIR DRYER {Bendix AD-IS} With Heater, Includes Pressure Protection Circuits, Safety Valve, and Purge Tank</p> <p>BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 Spring Brake</p> <p>BRAKE CHAMBERS, FRONT AXLE {Bendix} 24 SqIn</p> <p>BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq. In. Long Stroke Brake Chamber and Spring Actuated Parking Brake</p> <p>AIR COMPRESSOR {Cummins} 18.7 CFM Capacity</p> <p>AIR TANK Painted Aluminum, With Straight Thread O-Ring Ports</p> <p>AIR TANK LOCATION (2) : Two Mounted Under Battery Box, Outside Left Rail, Under Cab; Perpendicular to Rail</p> <p>DRAIN VALVE (2) {Berg} Manual; With Pull Chains, for Air Tanks</p> <p>STEERING COLUMN Tilting</p> <p>STEERING WHEEL 2-Spoke, 18" Diam., Black</p> <p>STEERING GEAR {Sheppard HD94} Power</p> <p>POWER STEERING OIL COOLER R'emote Mounted</p> <p>EXHAUST SYSTEM Switchback Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab; Includes Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab</p> <p>AFTERTREATMENT COVER Non-Bright</p> <p>ENGINE COMPRESSION BRAKE {Cummins} Interbrake For Cummins Signature or ISX Engines; Furnished with Engine</p>	
--	---	--

	<p>TAIL PIPE (1) Turnback Type, Bright, for Single Exhaust</p> <p>MUFFLER/TAIL PIPE GUARD (1) Bright Stainless Steel</p> <p>SWITCH, FOR EXHAUST 3 Position, Momentary, Lighted Momentary, ON/CANCEL, Center Stable, INHIBIT REGEN, Mounted in IP Inhibits Diesel Particulate Filter Regeneration When Switch is Moved to ON While Engine is Running, Resets When Ignition is Turned OFF</p> <p>ELECTRICAL SYSTEM 12-Volt, Standard Equipment</p> <p>POWER SOURCE Cigar Type Receptacle without Plug and Cord</p> <p>ALTERNATOR {Leece-Neville AV1160P2013} Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount</p> <p>BATTERY SYSTEM {International} Maintenance-Free, (3) 12-Volt 1950CCA Total</p> <p>CB ANTENNA {Pana-Pacific} Full Wave; 4.0' Length Includes "International" Name on Top</p> <p>CB RADIO Accommodation Package; Header Mounted; Feeds From Accessory Side of Ignition Switch; Includes Power Source and One (1) Antenna Base With Wiring</p> <p>RADIO AM/FMIWB/Clock/3MM Auxiliary Input, with Multiple Speakers</p> <p>STOP, TURN, TAIL & B/U LIGHTS LED Multi-Function Lamp with LED Bulbs for Stop, Turn, Tail, Backup and License Plate Lights</p> <p>STOP-LIGHT WIRING MODIFIED Stop-Lights Turned on When Engine Compression Brake, Exhaust Brake or Retarder is Activated</p> <p>LIGHT, WORK {Truck Lite 81 Series} LED, Pedestal Mounted BOC With Switch on Instrument Panel</p> <p>JUMP START STUD Remote Mounted</p> <p>HORN, AIR Black, Single Trumpet, Air Solenoid Operated</p> <p>WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time</p> <p>BATTERY BOX COVER Anodized Aluminum</p> <p>BATTERY BOX Aluminum With Plastic Cover, 30" Wide, 2, 3 or 4 Battery Capacity, Mounted Left Side Under Cab</p> <p>RUNNING LIGHT (2) Daytime</p> <p>TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights</p> <p>HEADLIGHTS ON WIWIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on</p> <p>HEADLIGHT WARNING BUZZER Sounds When Head Light</p>	
--	---	--

	<p>Switch is on and Ignition Switch is in "Off ' Position</p> <p>ALARM, PARKING BRAKE Electric Horn Sounds in Repetitive Manner When Vehicle Park Brake is "NOT" Set, With Ignition "OFF" and any Door Opened</p> <p>STARTING MOTOR {Mitsubishi Electric Automotive America 105P} 12-Volt, with Soft-Start</p> <p>CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses</p> <p>HEADLIGHTS LED, with Park Lights and Daytime Running Lights</p> <p>BUG DEFLECTOR Smoked Colored Plastic; Mounted on Hood</p> <p>FRONT END Tilting, Fiberglass, With Three Piece Construction</p> <p>FENDER EXTENSIONS Painted</p> <p>PAINT SCHEMATIC, PT-1 Single Color, Design 100</p> <p>PAINT TYPE Base CoaUClear Coat, 1-2 Tone</p> <p>FIFTH WHEEL, AIR SLIDE {Fontaine SLNTLW0775024} 24" Slide, 7.75" Above Top of Frame, Left Side Release</p> <p>SAFETY TRIANGLES</p> <p>MUD FLAP HOLDER Spring Loaded, Painted Black; With Red and White Reflective Tape; Less Flaps</p> <p>MUD FLAPS, REAR Black Poly, With International Logo; Less Holders</p> <p>CLUTCH {Eaton Fuller Solo Advantage} Self-Adjusting, Two-Plate, Cast Angle Spring; Ceramic, 15.5" Diameter, Soft Clutch ?-Spring Damper, Mechanical Pull-Type Control, 1700 lb-ft Torque Capacity</p> <p>CLUTCH EFFECTS Hydraulic Clutch Actuation System</p> <p>GREASE FITTINGS Remote; for Clutch Release Bearing, Routed through Hand-hole Cover & Grommet on Bottom of Clutch Housing, with Eaton Advantage Series Clutches</p> <p>ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection</p> <p>ENGINE, DIESEL {Cummins ISX 15 450 ST} EPA 2010 450 HP@ 1800 RPM, 1450/1650 lb-ftTorque@ 1000 RPM, 1800 RPM Governed Speed, 461 Peak HP (Max)</p> <p>FAN DRIVE {Horton Drivemaster} Direct Drive Type, Two Speed With Residual Torque Device for Disengaged Fan Speed</p> <p>FEDERAL EMISSIONS EPA, OBD and GHG Certified for Calendar Year 2016; ISX Engines</p> <p>RADIATOR Aluminum; Welded, Cross Flow, Parallel System, With 1055 Ssqln Radiator, and 460 Ssqln Charge Air Cooler</p>	
--	--	--

	<p>AIR CLEANER Single Element</p> <p>FAN OVERRIDE Manual; With Electric Switch on Instrument Panel, (Fan On With Switch On) HOSE CLAMPS, RADIATOR HOSES {Gates} Shrink Band Type</p> <p>BLOCK HEATER, ENGINE {Phillips} 120 Volt/1500 Watt, Thermostatically Controlled, With LED Indicator, Includes "Y" Cord for Fuel Heater</p> <p>EMISSION COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood</p> <p>TRANSMISSION, MANUAL {Eaton Fuller Advantage FAOM-1581OC} 10-Speed Manual, With Overdrive, With Air Shift, With Internal Lube Oil Pump</p> <p>CLUTCH HOUSING Aluminum; Available With 1350 to 2050 lb-ft Capacity Fuller Transmissions</p> <p>TRANSMISSION OIL {EmGard 50W} Synthetic; 1 thru 21.99 Pints</p> <p>SUSPENSION AIR CONTROL VALVE Pressure Release Control In Cab</p> <p>AXLE, REAR , TANDEM {Meritor MT-40-14X-3DER} Single Reduction, 0.374"(9.5mm) Wall Housing Thickness, 40,000-lb Capacity, R Wheel Ends, Driver Controlled Locking Differential in Rear-Rear Axle . Gear Ratio: 3.25</p> <p>SUSPENSION, REAR, AIR, TANDEM {International} Ride Optimized Suspension (IROS) Heavy Duty; 52" Axle Spacing; 40,000-lb Capacity, 9.25" Ride Height, Includes Heavy Duty Spring Hangers, Crossmembers and Fasteners, With Shock Absorbers</p> <p>AXLE, REAR, LUBE {EmGard FE-75W-90} Synthetic Oil; 50 thru 64.99 Pints</p> <p>FUEL TANK CAP (2) Locking Type</p> <p>FUEL TANK STRAPS Bright Finish Stainless Steel, for Dual Fuel Tanks</p> <p>FUEL TANK (2) Top Draw; Non-Polished Aluminum, 26" Diam., 100 U.S. Gal., 378L Capacity; Total Capacity 200 U.S. Gal., 757L; with Dual Supply & Return Lines and Less Equalizer Line, Mounted Back of Cab Left & Right Side</p> <p>FUEL/WATER SEPARATOR {Davco Fuel Pro 382} with 120V Pre Heater and Coolant Heated, Thermostatic Fuel Temperature Control, Includes Water in Fuel Light, Mounted In Standard Position</p> <p>DEF TANK 16 U.S. Gal. 60.6L Capacity, Frame Mounted Outside Left Rail, Under Cab</p> <p>CAB Conventional</p> <p>CAB INTERIOR TRIM ACCENT Dark Neutral</p> <p>GAUGE CLUSTER {Black Bezel} Black Face; English with English Electronic Speedometer and Tachometer for Air Brake Chassis,</p>	
--	--	--

	<p>Includes Voltmeter, Engine Coolant Temp & Oil Pressure, Prim & Sec Air Pressure, Fuel w/Warning Ind. & Alarm; Odometer, Trip, Engine Hr., Trip Hr, Fuel Econ, Trip Average Fuel Econ</p> <p>GAUGE, TEMPERATURE, AMBIENT Sensor Wiring with Display Unit Mounted in Cluster</p> <p>GAUGE, OIL TEMP, MANUAL TRAN for Manual Transmission</p> <p>GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} Under Hood Cleaner Mounted With Internal Switch, With Text Message in Cluster</p> <p>GAUGE, LOAD INDICATING REAR Text Message in Cluster Display, for Use With Rear Air Suspension</p> <p>WINDOW, WING VENT (2) Fixed</p> <p>GAUGE, DEF FLUID LEVEL</p> <p>SEAT, DRIVER {National 2000 Model195} Air Suspension, High Back, With Mordura Cloth, 2 Arm Rests, Isolator, 7" Adjuster, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, 3-14 Degree Back Recline</p> <p>SEAT, PASSENGER {National Model HP} Air Suspension, High Back, Mordura Cloth, 2 Arm Rests, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, 3 Position Rear Cushion Adj., 3-14 Degree Back Angle Adjust, Bellows</p> <p>MIRROR, CONVEX, LOOK DOWN {Lang Mekra} Right Side; 6" x 10 1/4", With Bright Finish</p> <p>MIRRORS (2) {Lang Mekra} Aero; Rectangular, Power Both Sides, Thermostatically Controlled Heated Heads, Clearance Lights LED, Body Color Painted Heads, Black Brackets, Bright Finish Arms, Breakaway Type, 7.09" x 15.75" & Integral Convex Both Sides, 102" Inside Spacing</p> <p>MIRROR, BRIGHT FINISH EFFECTS Brackets Both Sides</p> <p>SEAT BELT All Orange; 1 to 3</p> <p>CAB INTERIOR TRIM ; ProStar Deluxe, for Day Cab</p> <p>AIR CONDITIONER {Blend-Air} With Integral Heater & Defroster</p> <p>WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature</p> <p>LOW WASHER FLUID INDICATOR</p> <p>SUNSHADE, EXTERIOR Aerodynamic; With Stainless Steel Finish, Includes Integral LED Amber Lens Clearance/Marker Lights</p> <p>AERODYNAMIC PACKAGE Includes Roof Air Deflector and Cab Side Extenders, Paint and Install at the Plant</p> <p>ACCESS, CAB AND FRAME Non-Bright; Includes Driver & Passenger Side Cab Access, Two Steps per Door and Left Side Frame Access Step With One Flush Mounted Deck Plate and Black Grab Handle; With Daycab or Sleeper Cabs</p>	
--	--	--

Invitation to Bid KCT-01108

	<p>WHEELS, FRONT DISC; 22.5" Non-Polished Aluminum, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Aluminum Hubs</p> <p>WHEELS, REAR DUAL DISC; 22.5" Non-Polished Aluminum, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Aluminum Hubs.</p> <p>WHEEL GUARDS, FRONT {Accuride} for Metric Hub Piloted Wheels with Flanged Mounting Nuts Mounted Between Hub and Wheel</p> <p>PAINT FENDER EXTENSIONS Single Color; Same as Number Two Cab Schematic Color</p> <p>(2) TIRE, FRONT 295/75R22.5 ECO PLUS HS3 (CONTINENTAL) 519 rev/mile, load range G, 14 ply</p> <p>(8) TIRE, REAR 295/75R22.5 HDL2 (CONTINENTAL) 511 rev/mile, load range G, 14 ply</p> <p>FIFTH WHEEL LOCATION On Rear Axle Centerline</p> <p>Services: WARRANTY Standard for TranStar, 9900i, ProStar and LoneStar, Effective with Vehicles Built January 2, 2015 or Later, CTS-2004V</p> <p>SRV CONTRACT, EXT COOLING SYS {Navistar} To 60-Month/400,000 Miles (640,000 km)</p> <p>SRV CONTRACT, EXT CMMS AFTR {Cummins} To 60-Month/400,000 Miles (640,000 km), Extended Cummins Aftertreatment Coverage, With Protection Plan 1 Equal or Greater Duration Purchased</p> <p>SRV CONTRACT, EXT VEH COVERAGE {Navistar} To 60-Month/400,000 Miles (640,000 km), Covers 100% Parts and Labor, Excludes Extended Warranty for Engine and Transmission</p> <p>SRV CONTRACT, EXT CMMS ENGINE {Cummins} To 60-Month/400,000 Miles (640,000 km), Extended Cummins Engine Coverage, Protection Plan 1, With LESS than or Equal to 475 Horsepower</p> <p>DELIVERY INCLUDED</p> <p>VEHICLE WILL BE TAGGED AND LICENSED (INCLUDED IN COST)</p>	
--	---	--

Lead time ARO: _____ (this may be used in the event of a tie)

Warranty: _____

GRAND TOTAL \$ _____

Invitation to Bid KCT-01108

Purchase Order		Purchase Order Information		<input type="checkbox"/> Check if remit address is same as PO address	
Preferred Method of Receiving Purchase Orders: <input type="checkbox"/> Email <input type="checkbox"/> Fax <input type="checkbox"/> Check if there is a change to your Purchase order address					
Vendor Name (if different from above)					
Order to Address					
City		State		Zip	
Sales Contact Name		Email for PO			
Sales Contact Phone		Fax for PO			
<input type="checkbox"/> Purchase Address – Change to					
Remittance		Remittance Address as it appears on your invoice			
Vendor Name (if different from above)					
Remit to Address					
City		State		Zip	
Remit to Contact Name		Email			
Remit to Phone		Fax			
<input type="checkbox"/> Remit to Address – Change to					

Wherever possible we desire to replace check payments with an electronic payment (ACH - direct deposit transfer). In order to switch your payment type if already established from paper check to electronic transfer we will need your bank account information entered on this substitute W-9 form. Your email address will only be used to notify you when an electronic payment is issued, to notify you of the issuance of a purchase order, or to notify you of other official business correspondence. Your e-mail and/or banking information will not be shared or distributed outside KCTCS' Business Services Division and will be used solely for KCTCS business applications.

Direct Deposit Information (All fields are required to receive ACH electronic direct deposit payments)	
Name on Bank Account:	
Bank Name (include branch name if applicable):	
Bank Routing Number (9-digit ABA #):	Bank Account Number:
Mark only one (should match information noted above): <input type="checkbox"/> Checking: <input type="checkbox"/> Savings:	
E-mail address -- Please print <i>LEGIBLY</i> -- Required for electronic notification of payment to your bank account.	
Mark if this is a: <input type="checkbox"/> Establishment of a new direct deposit <input type="checkbox"/> Change of existing direct deposit	
Email change only <input type="checkbox"/> New email address to where payment notification to be sent:	

I hereby authorize and request KCTCS to initiate credit entries for payment to my account. If necessary, a debit entry may be made in accordance with National Automated Clearing House Association (NACHA) rules reversing a credit entry made in error at the financial institution named. The electronic payment data remains in effect until withdrawn by written notification to KCTCS, 300 North Main Street, Versailles, KY 40383.

PRINTED NAME	Authorized Signature	Date