



INVITATION TO BID

ATTENTION: This is not an order. Read all instructions, terms and conditions carefully.

INVITATION NO.:	KCT-01122	RETURN ORIGINAL COPY OF BID TO:
Issue Date:	June 8, 2018	KCTCS
Method of Award:	Best Value	PROCUREMENT TO PAYMENT DEPARTMENT
Purchasing Officer:	Sharon Bullard	BID #KCT-01090
Email:	sharon.bullard@kctcs.edu	300 NORTH MAIN STREET
		VERSAILLES, KY 40383

Bids are invited on the following: ROAD TRACTOR

IMPORTANT: SEALED BIDS MUST BE RECEIVED BY June 19, 2018 by 4:00 PM Eastern Daylight Time

1. Sealed Bids for furnishing the following will be received by the Purchasing Department, KCTCS, Versailles, Kentucky, until the date and time stated above or in Addenda. *Bid documents must be submitted in a sealed envelope identified with the Invitation to Bid number and the opening/return date on the face of the envelope. **FACSIMILE BIDS WILL NOT BE ACCEPTED.***
2. Please quote your single best net price on each item, unless a discount from list price is requested, delivered to the address specified, all transportation charges prepaid. Price shall include delivery to the department address shown on this Invitation. Submission of two (2) bids may result in disqualification of both bids.
3. Bids must be firm. Those containing escalator clauses cannot be accepted, unless provided for in Special Conditions. To receive consideration, bids must be made on this form and signed in full. Prices must be based on stated units and extended. Delivery guarantee must be shown. Bids will be rejected unless filled out in ink or on typewriter and signed in ink.
4. The KCTCS Sales Tax Exemption Number is A-20633. Certificate will be provided upon request. Do Not Quote Sales Tax. (...continued on following page.....)

SIGNATURE REQUIRED: This bid cannot be considered valid unless signed and dated by an authorized agent of the bidder. Type or print the information requested in the spaces provided.
ALL BIDS ARE TO BE "TRANSPORTATION CHARGES PREPAID, F.O.B. DESTINATION"

THIS AREA MUST BE COMPLETED

DELIVERY TIME:	NAME OF COMPANY	PHONE:
BID FIRM THROUGH:	NO. & STREET	FAX:
PAYMENT TERMS: Net 30 days Must Accept PO	CITY, STATE & ZIP CODE	
F.O.B. DELIVERED ALL DELIVERY CHARGES TO BE INCLUDED IN PRICES SHOWN	SIGNATURE	DATE:
Email		
FEDERAL ID NUMBER (EIN):	TYPED OR PRINTED NAME	

In submitting this bid, it is expressly agreed that, upon proper acceptance by Kentucky Community and Technical College System of any or all items bid, a contract shall thereby be created with respect to the items accepted.

BIDS MAY ALSO BE VIEWED AT OUR WEBSITE: https://systemoffice.kctcs.edu/Vendor_Information/

All bids and contracts are subject to General Terms and Conditions of KCTCS. You may download/print a copy of these from our website or you may request a copy be mailed to you by contacting the Purchasing Department at 859-256-3225.

AUTHENTICATION OF BID AND STATEMENT OF NON-COLLUSION AND NON-CONFLICT OF INTEREST

- I hereby swear (or affirm) under the penalty for false swearing as provided by KRS 523.040:
1. That I am the bidder (if the bidder is an individual), a partner, (if the bidder is a partnership), or an officer or employee of the bidding corporation having authority to sign on its behalf (if the bidder is a corporation);
 2. That the attached bid has been arrived at by the bidder independently and has been submitted without collusion with, and without any agreement, understanding or planned common course of action with, any other vendor of materials, supplies, equipment or services described in the Invitation to Bid, designed to limit independent bidding or competition;
 3. That the contents of the bid or bids have not been communicated by the bidder or its employees or agents to any person not an employee or agent of the bidder or its surety on any bond furnished with the bid or bids and will not be communicated to any such person prior to the official opening of the bid or bids;
 4. That the bidder is legally entitled to enter into contracts with KCTCS and is not in violation of any prohibited conflict of interest, including those prohibited by the provisions of KRS 164.390, 61.096, and 42.990, and;
 5. That I have fully informed myself regarding the accuracy of the statement made above.

NOTICE

1. Any agreement or collusion among bidders or prospective bidders which restrains, tends to restrain, or is reasonably calculated to restrain competition by agreement to bid at a fixed price or to refrain from bidding, or otherwise, is prohibited.
2. Any person who violates any provisions of KRS 45A.325 shall be guilty of a felony and shall be punished by a fine of not less than five thousand dollars nor more than ten thousand dollars, or be imprisoned not less than one year nor more than five years, or both such fine and imprisonment. Any firm, corporation, or association which violates any of the provisions of KRS 45A.325 shall, upon conviction, be fined not less than ten thousand dollars nor more than twenty thousand dollars.

SWORN STATEMENT OF COMPLIANCE WITH CAMPAIGN FINANCE LAWS

In accordance with KRS 45A.110(2), the undersigned hereby swears under penalty of perjury that he/she has not knowingly violated any provision of the campaign finance laws of the Commonwealth of Kentucky and that the award of a contract to a bidder will not violate any provision of the campaign finance laws of the Commonwealth of Kentucky.

CONTRACTOR REPORT OF PRIOR VIOLATIONS OF KRS CHAPTERS 136, 139, 141, 337, 338, 341 & 342

The contractor by signing and submitting a bid on this invitation agrees as required by 45A.485 to submit final determinations of any violations of the provisions of KRS Chapters 136, 139, 141, 337, 338, 341 and 342 that have occurred in the previous five (5) years prior to the award of a contract and agrees to remain in continuous compliance with the provisions of the statutes during the duration of any contract that may be established. Final determinations of violations of these statutes must be provided to KCTCS by the successful contractor prior to the award of a contract.

CERTIFICATION OF NON-SEGREGATED FACILITIES

The contractor, by submitting a bid on this Invitation, certifies that he/she is in compliance with the Code of Federal Regulations, No. 41 CFR 60-1.8(b), that prohibits maintaining segregated facilities.

INSTRUCTIONS TO BIDDERS:

Bidder's response on the following items must include full identification of the item(s) proposed, and be accompanied by descriptive literature, etc., to enable the purchaser to evaluate qualifications of the item(s) proposed as equal to those specified. **ALL ALTERNATE QUOTATIONS MUST BE ACCOMPANIED BY COMPLETE LITERATURE AND SPECIFICATIONS TO EVALUATE ALTERNATE QUOTE AS EQUAL TO THAT SPECIFIED. FAILURE TO PROVIDE SUFFICIENT INFORMATION WILL BE CAUSE FOR REJECTION OF THE BID.**

When a Bidder proposes to furnish the exact item specified, he shall cite, beside the item, or use the Mfg. & Model No. Proposed blank that follows the line item as follows:

1. If bidding the manufacturer and model number specified in this Invitation, write in "AS SPECIFIED".
2. If bidding an alternate model, identify by manufacturer's number and model.
3. If bidding a private label model, identify as private label and show stock number.

ALL BIDS ARE TO BE "TRANSPORTATION CHARGES PREPAID, F.O.B. DESTINATION"

METHOD OF AWARD

Unless otherwise specified, it is the intent of KCTCS to award this Invitation to Bid on a Best Value basis. In the event no satisfactory bids are received, we reserve the right to award on a group award basis. Separate purchase orders may not be issued unless there is a savings of at least \$100.00 to KCTCS.

Important Dates (subject to change per applicable Addenda):

June 13, 2018 4:00 PM EST

Deadline to submit questions. All questions must be emailed to sharon.bullard@kctcs.edu.

June 19, 2018 4:00 PM EST

Deadline to submit bids.

I. Scope

You are invited to bid on the following **Road Tractor** for the Kentucky Community and Technical College System (KCTCS), **Fire Commission. Delivery must be made by October 2018.**

II. Equipment

Attached is the list of items required. All serial number tags, FCC approval numbers, model numbers, etc. must be affixed on each piece of equipment at the time of delivery. Equipment will be inspected and rejected if these numbers are not affixed or have been altered.

III. Alternates

Alternate equipment proposed by a bidder as equivalent must substantially meet or exceed the manufacturer's specifications for each product listed in this Invitation to Bid. Suppliers bidding alternate equipment must submit complete literature and specifications with their bid in order for an evaluation by KCTCS to be made. Failure to submit complete literature may be cause for rejection of bid.

IV. Delivery

All items are to be shipped F.O.B. Destination, all freight charges included in the price. The successful supplier will be responsible for all equipment while in transit. Any freight claims will be the responsibility of the Bidder. The College will reject any damaged shipments and immediate notification will be given to the Bidder. **DELIVERY MUST BE MADE BY OCTOBER 2018.**

V. METHOD OF AWARD

Best Value— Ranking Approach

KCTCS reserves the right to award to one or multiple suppliers, if it is in the best interest to do so.

Measurable Criteria:

Price 90 Points

Delivery 10 Points

TOTAL POINTS 100 Points

Each Supplier is responsible for submitting all relevant, factual and correct information with their offer to enable the evaluator(s) to afford each Supplier the maximum score based on the available data submitted by the Supplier. SUPPLIER SHALL ENTER UNIT PRICE AND TOTAL PRICE ON THE BID SHEET. If adequate space is not available, the Supplier must attach additional information that clearly cross-references the appropriate location in the solicitation (i.e. page number, paragraph, subject, etc.). KCTCS reserves the right to award by line item or by all items to a single supplier if it is in the best interest of KCTCS to do so.

Price (90 points)

The bidder with the lowest Price receives the maximum score. The bidder with the next lowest Price receives points by dividing the lowest Price by the next lowest price and multiplying that percentage by the available points. For example, 90 points is allocated to the lowest Price criteria for this procurement, Bidder "A" bids \$3.00 as the lowest bidder and receives the maximum 90 points ($\$3.00 / \$3.00 = 1.00 \times 90 = 90$). Assume Bidder "B" is the next lowest bidder at \$4.00, then "B" receives 67.5 points ($\$3.00 / \$4.00 = .75 \times 90 = 67.5$).

Delivery (10 points)

The supplier with the fastest delivery time will receive the maximum score and the supplier with the next fastest time will be scored by dividing the fastest supplier's time by the next best supplier's time and multiplying that percentage by the available points. For this example, assume 10 days is the best delivery time, then that supplier receives 10 points ($10/10 = 1 \times 10 = 10$). Assume twenty (20) days is the next best delivery time, then that supplier receives 2.5 points ($10/20 = .5 \times 10 = 5$).

VI. KENTUCKY RECIPROCAL PREFERENCE LAWS

In accordance with KRS 45A.490 to 45A.494, Kentucky Resident Bidder Status, a resident Offeror of the Commonwealth of Kentucky shall be given a preference against a nonresident Offeror. In evaluating proposals, KCTCS will apply a reciprocal

preference against an Offeror submitting a proposal from a state that grants residency preference equal to the preference given by the state of the nonresident Offeror. Residency and nonresidency shall be defined in accordance with KRS 45A.494(2) and 45A.494(3), respectively. Any Offeror claiming Kentucky residency status must submit with its bid/proposal a notarized affidavit (Resident Bidder Claim Form,) with supporting documentation affirming that it meets the criteria as set for in the above referenced statute.

Further, in accordance with KRS 45A.465 and 45A.470, any bidder wishing to claim qualified bidder status must complete and include an Affidavit for Qualified Bidder Status with their response. In evaluating responses, KCTCS will apply preference in accordance with KRS 45A.470. An Affidavit for Qualified Bidder Status forms is available from KCTCS Purchasing, upon request.

VII. Bid Submittal

Bids must be received no later than the date and time show on the front page of this Invitation to Bid. **All bids must be received in a sealed envelope/package clearly identified with the Invitation to Bid Number in the lower left corner.**

VIII. Kentucky Sales and Use Taxes

Sales of tangible personal property or services to the State of Kentucky and its constitutional agencies are not subject to state sales or use taxes.

IX. Compliance with Federal Requirements

Where this procurement involves the expenditure of federal assistance or contract grant funds, the awarded contractor shall comply with such federal law and authorized regulations which are mandatory applicable and which are not presently set forth elsewhere in this solicitation. Office of Management and Budget Circular A-102, Appendix "O" requires but is not limited to, compliance with the following provisions;

- (1) All contracts awarded in excess of \$10,000 by grantees and their contractors or sub grantees require compliance with Executive Order 11246, entitled "Equal Employment Opportunity", as amended by Executive Order 11375, and as supplemented in Department of Labor regulations (41 CFR Part 60).
- (2) All negotiated contracts (except those awarded by small purchase procedures) awarded by grantees provide that the grantee, the Federal grantor agency, the Comptroller General of the United States, or any of their duly authorized representatives, shall have access to any books, documents, papers and records of the contractor which are directly pertinent to this specific contract, for the purpose of making audit, examination excerpts and transcriptions. Contractors are to maintain all required records for three years after grantees make final payments and all other pending matters are closed.
- (3) Contracts, subcontracts and subgrants of amounts in excess of \$100,000 requires compliance with all applicable standards, orders, or requirements issued under Section 306 of the Clean Air Act (42 U.S.C. 1857 (h)), Section 508 of the Clean Water Act 33 U.S.C. 1368), Executive Order 11738 and Environmental Protection Agency regulations (40 CFR Part 15), which prohibit the use under non-exempt Federal contracts, grants or loans of facilities included on the

EPA List of Violating Facilities. This provision requires reporting of violations to the grantor agency and to the U.S.E.P.A. Assistant

X. Inspection

All supplies and equipment shall be subject to inspection or tests by the college prior to acceptance. In the event supplies or equipment are defective in material or workmanship or otherwise not in conformity with specified requirements, the college shall have the right to reject them or require acceptable correction at the supplier's expense. A Statement of Condition and inspection report is required for each item.

XI. Rejection of Bids

KCTCS reserves the right to reject any and all bids when it is in the best interest of KCTCS to do so.

XII. Cancellation of Bids

KCTCS reserves the right to cancel the bid when it is in the best interest of KCTCS to do so.

XIII. Warranty

The manufacturer's most favorable warranty offered to preferred customers shall apply to all items. A copy of such warranty shall be furnished to the college upon delivery of the equipment or product.

XIV. Oral Discussions

Potential bidders should clearly understand that any verbal representations made or assumed to be made during any oral discussions held between representatives of potential bidders and any State employee or official are not binding on the Commonwealth of Kentucky or its constitutional agencies or colleges.

XV. Compliance with State Laws

Any contracts or orders placed as a result of an offer shall be governed by the laws of the Commonwealth of Kentucky. The rights and obligations of the parties thereto shall be determined in accordance with these laws. Any offer conditioned upon governance by the laws of a state other than Kentucky shall not be considered.

XVI. Supplier Terms & Conditions

Responses submitted that include any additional supplier terms or conditions or contain terms and conditions in conflict with the Statutes of the Commonwealth of Kentucky may be rejected. Suppliers must refrain from imposing

conditions that would modify the terms and conditions of the solicitation or limit the bidder's liability to KCTCS on the contract awarded on the basis of such Invitation.

XVII. ADA COMPLIANCE

When applicable (e.g. webpages) the Contractor's products and services will be in compliance with current Americans with Disability Act (ADA) requirements including the applicable current ADA Standards for Acceptable Design, Section 508 of the Rehabilitation Act of 1973, as amended (29 U.S.C. 794d), Section 255 of the Communications Act, as amended and applicable regs.

XVIII. Questions, Solicitation Sole Point of Contact - Restriction on Communication

The KCTCS Procurement to Payment Department shall be the point of contact throughout the solicitation process regarding the terms and conditions contained in this Invitation to Bid. Contact with KCTCS other than the Procurement to Payment department may be cause for rejection of bid. This does not preclude suppliers who presently hold contracts with KCTCS from communicating with KCTCS individuals regarding existing contracts only.

Any explanation desired by a bidder regarding the meaning or interpretation of the solicitation, specifications, etc., must be requested in writing. Questions will not be addressed via telephone. Oral explanations or instructions given before the award of the contract will not be binding. In the event any item, requirement, term or condition of this Invitation to Bid is not clear, or is not according to regulation, it shall be the sole responsibility of the interested prospective bidder to inquire as to intent, or to state the exception in writing, via email to:

Sharon Bullard

KCTCS Procurement to Payment Services

Sharon.bullard@kctcs.edu

Phone calls will not be accepted.

All questions are to be submitted to the Purchasing Department **no later than June 13, 2018 4:00PM EST** via email to Sharon.bullard@kctcs.edu.

XIX. Specifications

(provided by Martins Peterbilt)- Specs include but not limited to the following:

Data	Code	Description	Weight
Base Model			
0005791	O	Model 579	14.810
0091200	O	Other Commodity	0
0093170	O	General Freight Truck or tractor used in over-the-road hauling of general freight. Pickup to delivery distance is typically over 100 miles and annual mileage is typically over 60,000 miles per year. Operation is typically on-highway.	0
0096010	O	Van	0
0098170	O	United States Registry	0
Configuration			
0200614	O	SmartWay Designated - Not Selected or Unavailable For this vehicle configuration.	0
0200700	O	Not Applicable Secondary Manufacturer	0
Frame & Equipment			
0515030	S	10-5/8in Steel Rails to 285in 10,625 x 3.45 x .313 Dimension, 1,776,000 RBM, Yield Strength: 120,000 psi. Section Modulus: 14.8 cubic inches. Weight: 1.44 lbs/inch pair	5
0611790	S	Aluminum Frame Rail Crossmembers Excludes suspension	0
0644000	S	EOF Tractor Tapered with Xmbr Includes Kingpin Cutout	0
0651410	O	Peterbilt Rear Mudflaps, Fleet Engr FB27 Hanger 45 Degree, Spring-loaded (requires two additional inches of overhang for tractors)	15
0673010	O	Polyarmor Black Quarter Fenders with Peterbilt logo on flap	25
0854110	O	JOST JSK37 Fifth Wheel Top Plate	240
0870260	O	Fifth Wheel Setting Behind C/L Bogie 26in	0
0890090	O	LH Fifth Wheel Release	0
0890540	O	6.6in - 7in Fifth Wheel Height	79
0890660	O	Outboard Mounting IPO Inboard Air Slide Only	-31
0891220	O	16in Air Slide Jost Outboard Only	194
0898030	O	Fifth Wheel Slide Controls Provided with Speed Interlock to prevent accidental activation above 7 MPH. Configurable from 5 to 10 MPH. Required with sliding Fifth Wheels.	2
0960010	O	Frame Mounted Deck Plate and Access Pkg, RH Side	41
Front Axle & Equipment			
1012140	S	Meritor MFS+12E 12,500 lb, 3.5 in. Drop	0
1111190	S	Taper Leaf Springs, Shocks 12,000 lb	0
1243040	S	Power Steering Sheppard HD94 For use with 10,000 to 13,200 lb axle ratings.	0
1250180	S	Power Steering Reservoir Frame Mounted	0
1353550	S	PHP10 Aluminum PreSet PLUS Hubs Air Disc Use with Front Axle	0
1380290	S	Air Disc Front Brakes Complies with reduced stopping distance regulations.	0
1380380	S	Tenneco Shocks For Steer Axle	0
1380470	O	Meritor Wide Track IPO Standard, Front Axle MFS+ 3 5" Drop / MFS 3 74" Drop	5

Rear Axle & Equipment

1526150	O	Meritor MT40-14X 40,000 lb Interaxle diff lock air rocker occupies space of one gauge. Laser factory axle alignment to improve handling & reduce tire wear. Magnetic rear axle oil drain plug captures & holds any metal fragments in drive axle lube to extend service life. Parking brakes on all drive axles for optimal performance. Cognis EMGARD® FE 75W-90 synthetic axle lube provides over 1% fuel economy improvement. Reduces wear & extends maintenance intervals, resulting in increased uptime. Provides improved fluid flow to protect components in extreme cold conditions & withstand the stress from high temperatures extending component life.	90
1616290	S	PHP10 Aluminum PreSet PLUS Hubs	0
1632650	S	Long Stroke Parking Brakes, Drive Axle(s)	0
1660040	O	Pad Dust Shields for Air Disc Brakes, Drive Axle(s)	0
1680390	S	Bendix ESP Electronic Stability Program With ATC Tractor service only. The Bendix ESP system is designed to continuously monitor a variety of vehicle parameters and sensors to determine if the vehicle is reaching a critical stability threshold. If such a situation develops, the system will quickly and automatically intervene to assist the driver by selectively applying tractor and trailer brakes, and de-throttling the engine.	0
1680935	O	Bendix Wingman Advanced Not Selected Or Not Available	0
1682710	S	Anti-Lock Braking System (ABS) 6S6M ABS-6. Includes air braking system.	0
1684200	S	Synthetic Axle Lubricant All Axles Peterbilt heavy duty models include Fuel Efficient Cognis EMGARD FE75W-90 which provides customers performance advantages over current synthetic lubricants with reduced gear wear and extended maintenance intervals, resulting in increased uptime. In addition, the lubricant provides improved fluid flow to protect gears in extreme cold conditions and withstand the stress from high temperatures, extending component life.	0
1687040	O	Air Disc Rear Brakes, Tandem Drive Axle Includes Automatic Slack Adjusters.	0
1703420	O	Ratio 3.42 Rear Axle	0
1821970	O	Peterbilt Low Air Leaf 40,000lb,52in Axle Spacing Light Weight	-59
1922260	O	Dash Mtd Dump Switch With Indicator Light For suspension	2

Engine & Equipment

2072820	S	PACCAR MX-13 455@1600 GV@2200 1650@900 (2017 Emissions) N20690 N162 74...Maximum Accelerator Pedal Vehicle Speed N20700 N006 74...Max Cruise Speed N20710 N052 650..Idle Target	0
---------	---	--	---

N20740 N015 YES..Enable MX Retarder in Neutral
 N20750 N019 0...Delay in Engine Brake Activation w/ Brake Pedal Depressed
 N20760 N014 2...Auto Retard Vehicle Speed Offset
 N20770 N013 4...Downhill Speed Limiter Vehicle Speed Offset
 N20780 N001 16...Minimum Speed to Turn Cruise Control Off
 N20790 N003 19...Minimum Cruise Control Speed
 N20800 N002 19...Min Speed to Automatically Turn Cruise Control On
 N20830 N039 OFF..Allow Multi-Torque Only When Cruise is Active
 N20840 N187 5...Timer Setting Non-PTO Mode w/ Park Brake Set
 N20850 N188 5...Timer Setting Non-PTO Mode w/o Park Brake Set
 N20860 N185 40...Low Ambient Temperature Override
 N20870 N184 80...High Ambient Temperature Override
 N20900 N186 5...Timer Setting When in PTO Mode
 N20910 N190 YES..Reset EIST Timer Based on Engine Load
 N20930 N071 ON...FIC Enable/Disable
 N20940 N072 1900.Maximum Fast Idle Control Engine Speed
 N20990 N078 ON...PTO Mode Disabled w/ Clutch Pedal Depressed
 N21000 N101 ON...PTO Mode Disabled w/ Service Brake Depressed
 N21010 N079 ON...PTO Mode Enable Only w/ Parking Brake Set
 N21020 N080 1...PTO Vehicle Speed Limit
 N21030 N089 ON...PTO Mode Enable Only w/ Transmission Neutral
 N21100 N087 780..RPM Set Point
 N21110 N086 2000.Maximum Engine Speed During PTO Operation
 N21160 N110 1...Enable Set Point w/ Set/Accel Switch Bump
 N21170 N191 NO...Override EIST Timer Based on Engine Load
 N21190 N193 0...Expiration Distance
 N21230 N197 YES..Enable Accelerator Pedal Reset
 N21240 N198 YES..Enable Service Brake Reset
 N21250 N199 YES..Enable Clutch Pedal Reset
 N21260 N200 YES..Allow EIST Timer Overrides in PTO Mode
 N21280 N163 0...Maximum Cycle Distance
 N21300 N169 0...Expiration Distance
 N21310 N170 155..Standard Maximum Speed Limit [LSL]
 N21320 N106 660..Minimum Engine Speed During PTO Operation
 N21640 N179 YES..Enable Park Brake Reset
 N21650 N173 0...Reserve Speed Offset
 N21670 N164 252..Reserve Speed Function Reset Distance
 N21900 N073 0...Cab Accel Pedal Type in PTO Mode
 N21910 N182 30...Coolant Temperature Override
 N21920 N219 0...Offset mode
 N21930 N224 2...Maximum Vehicle Speed Bonus
 N21940 N227 -2...Maximum Vehicle Speed Penalty
 N21950 N246 4...Minimum Vehicle Speed for DSA Activation
 N21960 N247 1...Lowest Gear that DSA will be active
 N21970 N248 10...Highest Gear that DSA will be active
 N21980 N076 2000.Max Accelerator Controlled Eng Spd During PTO Operation
 N21990 N307 OFF..Cab Accelerator Active in Remote PTO Mode

2091310	O	Engine Idle Shutdown Timer Disabled	0
2091315	O	Enable EIST Ambient Temp Override	0
2091372	O	Eff EIST NA Expiration Miles	0
2091510	O	Enable Reserve Speed Drive Cycle Limit	0
2091638	O	Effective VSL Setting 65.0 MPH or Greater (USA)	0
2092015	O	Typical Operating Speed 70 MPH	0
2092029	O	MX Retarder State Cruise Control On (Latch Mode Engine Parameter)	0
2092032	O	Powertrain Optimized for Performance Best analysis for vehicles used in vocational applications or with heavy GCWRs.	0
2092074	O	Powertrain Protect - Torque Limiting (PACCAR MX) Limits the torque with very high rear end ratio. Required with multi torque ratings	0
2092075	O	Enable MX Retarder Auto Retard (Engine Parameter)	0
2092077	O	Enable MX Retarder Downhill Speed Limiter (Engine Parameter)	0
2092079	O	Decline Driver Performance Assistant	0
2092081	O	Engine Monitoring Protection - Warn (PACCAR MX) Only a warning is provided in the A-Panel display when DPF regeneration is required. Only available for qualifying intended services such as Fire Engines and Emergency Vehicles. Continued operation without regeneration can result in damage to the engine.	0
2092085	O	Speed Control Mgmt: Enable Gear Down Protection (PACCAR MX) Gear Down Protection is a feature which encourages a driver to shift into higher gears in order to use the engine at lower engine speed (RPM) when the vehicle is at higher road speed (MPH). This is a PACCAR MX Engine Parameter w/Default Setting. Default settings are optimized for 10-speed transmissions and line haul applications.	0
2140200	O	CARB Engine Idling Compliance PACCAR PX-7, PX-9 and MX, Cummins ISL, ISM and ISX diesel engines will include the required factory installed serialized sticker on the drivers door to identify them as meeting the NOx idling standard	0
2141990	O	Omit Chevron Engine Oil Sticker (DELO)	0
2513060	S	PACCAR 160 Amp Alternator, Brushed	0
2521090	S	Immersion Type Block Heater 110-120V Standard location is center left hand under cab and includes a weather-proof cover that protects the receptacle. This pre-heater keeps the coolant in the engine block from freezing when the engine is not running.	0
2522050	S	PACCAR 12V Starter	0
2538040	S	3 PACCAR Premium 12V Dual Purpose Batt 2190 CCA Threaded stud type terminal. Stranded copper battery cables are double aught (00) or larger to reduce resistance.	0
2539410	O	Battery Jumper Terminal Mounted Under Hood LH Frame Rail. Not available with PX-7 engines	4
2539720	S	Low Voltage Disconnect System	0
2621090	S	DM Advantage ON/OFF Fan Clutch	0
2738410	S	Wabco 25.9 CFM Air Compressor, MX only	0
2811160	S	Compression Brake, MX	0
2921120	S	PACCAR Fuel/Water Separator Extended Service Interval	0
2921210	O	No Fluid Heat Option for Fuel Filter	0
2921310	S	No Electric Heat Option for Fuel Filter	0
3114270	S	High Efficiency Cooling System Cooling module is a combination of steel and aluminum components, with aluminum connections to maximize performance and cooling capability. Silicone radiator & heater hoses enhance value, durability, & reliability. Constant tension band clamps reduce leaks. ClimaTech extended life coolant extends maintenance intervals which reduces maintenance costs. Anti-freeze effective to -30 degrees F helps protect the engine. Low coolant level sensor warns of low coolant condition to prevent engine damage. Radiator Size by Model: 587: 1330 sq in, 579/367 FEPTO 1325 sq in, 567/365/367: 1440 sq in, 384/386: 1301 sq in, 365 FEPTO: 1184 sq in, 389/367 HH: 1669 sq in, 348: 1000 sq in, 320: 1242 sq in.	0

3291680	S	(1) Air Cleaner Firewall Mounted Molded rubber air intake connections with lined stainless steel clamps seal to prevent contaminants in air intake.	0
3365270	S	Exhaust Single RH Side Of Cab DPF/SCR RH Under Cab (2017).	0
3381770	O	Curved Tip Standpipe(s)	0
3387870	S	24in Ht, 5in Dia Chrome, Clear Coat Standpipe(s)	0
Transmission & Equipment			
4020130	O	Eaton FA016810S-EP3 10-Speed, Advantage Series Automated transmission with aluminum housing, PACCAR engines only, no cooler	70
4210190	O	1810 HD Driveline, 1 Midship Bearing 4.5in x .180 wall tubing	105
4216590	O	1710 Driveline Interaxle, Tandem Rear Axles	0
4250750	O	Decline Eaton Neutral Coast Mode Automated transmission programming	0
4256130	O	Dash Mounted Lever Shifter N/A with manual transmissions	8
Air & Trailer Equipment			
4510320	S	Bendix AD-16 Air Dryer W/1eater And Coalescing Filter	0
4520420	O	Pull Cords All Air Tanks	0
4540420	S	Nylon Chassis Hose	0
4543320	S	Steel Painted Air Tanks All air tanks are steel with painted finish except when Code 4543330 Polish Aluminum Air Tanks is also selected (then exposed air tanks outside the frame rails will be polished aluminum). Peterbilt will determine the optimal size and location of required air tanks. Narratives requesting a specific air tank size or location will not be accepted for factory installation. See ECAT to determine number or location of air tanks installed.	0
4543330	O	Polished Aluminum Air Tanks Outside Frame Rails Exposed air tanks outside the frame rails will be polished aluminum. Air tanks mounted inside the frame rails or covered by other components will be either painted aluminum (4543340) or painted steel (4543320) air tanks depending on air tank option selected.	0
4611630	O	Chroming of Hose Tenna	0
4612800	S	Trailer Hand Valve	0
4614810	S	A&E Connections BOC/BOS with Hose Tenna	0
4614850	O	12ft A&E Lines Straight & Two 7-way Plugs	8
4614860	O	Locate A&E Connections BOC/BOS as far rearward as possible	0
Tires & Wheels			
5006730	O	FF: YO 14Ply 295/75R22.5 101ZL Diameter = 40.0 inches; SLR = 18.7 inches	8
5106940	O	RR: YO 14Ply 295/75R22.5 TY517 MC2 Diameter = 40.7 inches; SLR = 19.1 inches	32
5190008	O	Code-rear Tire Qty 08	0
5220270	O	FF: Alcoa Ultra7 22.5X8.25 Clean Buff Finish	-54
5320270	O	RR: Alcoa Ultra7 22.5X8.25 Clean Buff Finish Aluminum	-216
5390008	O	Code-rear Rim Qty 08	0
Fuel Tanks			
5554190	O	26in Aluminum 100 Gallon Fuel Tank LH U/C Includes steps for cab access. Paddle handle filler cap with threadless filler neck. Top draw fuel plumbing reduces chance of introducing air into the fuel system during low fuel level conditions due to the central placement of fuel pickup tube. Wire braid fuel lines increase durability & reduce potential for leaks.	22
5602100	O	Location LH U/C 100 Gallon	0
5652830	O	Polish All Fuel / Hydraulic Tank Straps Does not apply to Rectangular Def Tank straps.	0
5652890	O	DEF Tank Mounted LH BOC Models 210, 220 and 320 mounted LH cab fender.	0
5652990	O	Standard DEF To Fuel Ratio 2:1 Or Greater	0
5653000	O	Polished Stainless Steel Cover For DEF Tank	0
5655019	S	DEF Tank Small	0
5760010	O	RH Tank None Furnished	-86

Battery Box & Bumper

6010670	O	Aluminum Space Saver Battery Box LH BOC Battery Access From Side	-57
6040550	S	Aftertreatment RH U/C Alum Non-Slip Cab Entry Step. DPF/SCR for diesel engines, catalyst for natural gas engines. On Models 579 specifying chassis fairings, the box will be aerodynamic.	0
6111150	O	Aero Bumper, Molded 3-Piece, Painted Body Color	0

Cab & Equipment

6515670	S	Aerodynamic 117 BBC Alum Cab & SMC Hood w/ SBFA Hood has stainless steel grill with chrome plated grille surround and Peterbilt bird. Includes anti-blow down hood device.	0
6540660	O	SmartSound Cab Insulation Package Cab acoustic insulation package for day cabs. Includes insulated inside firewall, top side floor damping, absorber treated kick panels, and insulated backwall and roof structure.	65
6911100	S	Peterbilt ST Driver Peterbilt ST air seat, high height backrest, adjustable seat track length, 1 chamber lumbar support, suspension with fixed damping, fore-aft isolator with lockout, Vinyl bellows over suspension. Standard vinyl finish - color coordinate with interior color.	0
6921140	O	Peterbilt ST Passenger seat Peterbilt ST air seat, high height backrest, adjustable seat track length, 1 chamber lumbar support, suspension with fixed damping, fore-aft isolator with lockout. Vinyl bellows over suspension. Standard vinyl finish - color coordinate with interior color.	40
6930580	O	Drivers Armrests - LH & RH Required in Model 587 with Evolution LX seats, optional with Evolution ST and Rolltek Seats.	4
6939400	S	Air Ride Driver	0
6939420	S	High Back Driver	0
6939460	O	Fabric Driver	0
6939500	O	Air Ride Passenger	0
6939520	S	High Back Passenger	0
6939560	O	Fabric Passenger	0
7001520	O	Adjustable Steering Column - Tilt/Telescope	10
7001620	S	Steering Wheel with Peterbilt Logo Steering Wheel with embossed Peterbilt logo over horn button.	0
7037130	S	Prestige Interior - Sterling Gray	0
7210420	O	Dark Window Tint ipo STD Tint - Day Cab	0
7210540	S	Day Cab Rear Window	0
7210550	S	1-Piece Glass Rear Cab Window Fixed	0
7230060	S	One Piece Curved Windshield	0
7230360	S	Power Door Locks AND Power Window Lifts Standard	0
7322010	S	Combo Fresh Air Heater/Air Conditioner With radiator mounted condenser, dedicated side window defrosters, Bi- Level Heater/Defroster Controls, 54,500 BTU/HR, and silicone heater hoses.	0
7410040	O	Outside Sunvisor - Stainless Steel Not available with 2.1M high roof sleeper.	8
7514010	O	Peterbilt Aero Rear View Mirror, Motorized Includes top mirror with motorized, adjustable dual axis heated glass. Bottom mirror is an integrated convex surface. Includes black textured arms with breakaway feature.	3
7514020	S	Aero Rear View Mirror Housing - Body Color	0
7514050	S	Look Down Mirror Over Passenger Door with Black Housing	0
7610500	S	Air Horn Mounted Under Cab	0
7725710	O	Standard Speaker Package For Cab (2) Speakers	4
7725715	O	ConcertClass Without CD, Includes BT Phone and Audio, AM/FM, WB, USB and MP3.	10
7740140	O	Cobra 29 CB Radio Mounted Center of Header Without weatherband. Mounted in Center of Header With Sound Tracker & Illuminated Panel. Includes Wiring, Microphone Clip & Speaker. Must Select Antenna(s) Option.	10
7743020	O	(1) Antenna For Factory Installed Or F/O CB, mounted vertical center BOC/BOS.	5
7782230	O	Radio Antenna Mounted Logger Style Antenna Mounted LH on BOC In Place of Center Roof position on Conventional Models. Models 579 and 567 Antenna Mounted LH Roof In Place Of Center Roof position.	0

7788055	S	SmartLINQ Remote Diagnostics SmartLINQ is Peterbilt's proprietary remote diagnostics service which monitors the engine and aftertreatment for diagnostic codes providing real-time code analysis maximizing vehicle uptime and strengthening the fleets partnership with their dealer. SmartLINQ provides fault coverage for over 800 codes, a customizable email notification for 116 codes plus a web portal to manage your entire fleet included at no additional charge. SmartLINQ is compatible with any telematics system and doesn't require a specific fleet management system. For those whose customers utilize PeopleNet, the pre-wire with remote diagnostics will provide a more integrated solution utilizing the existing SmartLINQ modem. For those whose customers utilize other fleet services products, the existing pre-wire option for the other fleet service devices will continue to be available. SmartLINQ is standard with MX-13 engines and available on the models 587,579,567,389,367 and 365.	0
7851480	S	Peterbilt Electric Windshield Wipers With Intermittent Feature	0
7852020	O	Cab Air Suspension	15
7852050	O	Auto Reset Circuit Protection Daycab and Sleeper	0
7900090	O	Triangle Reflector Kit Shipped Loose	13
7900310	O	Fire Extinguisher; Mounted Outboard Driver Seat Hazmat approval UL listed/rated ABC.	8
8011400	O	Main Transmission Oil Temperature Gauge Located in Driver Information Display	0
8011410	O	Drive Axle #1 Front Oil Temperature Gauge 52mm round, backlit. Physical gauges must be order in pairs and are limited to a total of 6.	0
8011420	O	Drive Axle #2 Rear Oil Temperature Gauge 52mm round, backlit. Physical gauges must be order in pairs and are limited to a total of 6.	0
8011470	O	Engine Oil Temperature Gauge 52mm round, backlit. These physical gauges must be ordered in pairs and are limited to a total of 6.	0
8021390	S	Air Filter Restriction Pressure Gauge Located in Driver Information Display	0
8021530	O	Air Suspension Pressure 1 Gauge 52mm round, backlit. Physical gauges must be order in pairs and are limited to a total of 6.	0
8022160	O	Fuel Filter Restriction Gauge 52mm round, backlit. Physical gauges must be order in pairs and are limited to a total of 6.	0
8070010	O	Up To (4) Additional Electric Switches Without wiring	1
8071890	S	Main Instrument Panel Includes Driver Information Display and Instrument Package With Speedometer, Tachometer, Fuel Level Gauge, Engine Oil Pressure, Engine Coolant Temperature, (2) Air Pressure, DEF Level Gauge. With Gas Engines, DEF Level Gauge will be replaced with Brake Application Gauge.	0
8071900	O	Manifold Pressure Gauge 52mm round, backlit. Physical gauges must be order in pairs and are limited to a total of 6.	2
8072980	O	Ammeter Located in Driver Information Display	2
8111110	S	Headlights Composite Fender Mounted Integral Park, Turn, and Side Marker	0
8120990	S	(5) Marker Lights, Aero LED On roof, visor, or fairing	0
8133960	S	Daytime Running Lights (Required on Canadian units)	0
8140060	O	LED Oval Stop/Turn/Tail/Backup In tractor taper EOF crossmember	2
8140650	O	Peterbilt Signature Door Light Turn Signal	0
8151170	O	(2) Load Lights, Flush Mounted Low Inboard BOC/BOS, Incandescent	4
Paint			
8530770	S	(1) Color Axalta Two Stage - Cab/Hood Base Coat/Clear Coat N85020 A - L3781EY VIPER RED N85400 HOOD TOP L3781EY VIPER RED N85500 CAB ROOF L3781EY VIPER RED N85200 FRAME N0001EA BLACK N85700 BUMPER L3781EY VIPER RED N85300 FENDER L3781EY VIPER RED	0
Miscellaneous			
9409001	O	Day Cab / Prestige Interior (DM)	0
9409800	O	2017 EPA Emissions Engine	0

xx. Form of Proposal

Scope

You are invited to bid on a **Road Tractor** for the Kentucky Community and Technical College System (KCTCS), Fire Commission. **Suppliers bidding alternate equipment must submit complete literature and specifications with their bid in order for an evaluation by KCTCS to be made. Failure to submit complete literature may be cause for rejection of bid. Delivery must be made by October 2018.**

Description provided by Martin's Peterbilt – Specs include but not limited to the following:

ITEM	QTY	Item #2 Product Code / DESCRIPTION	UNIT PRICE	EXTENDED PRICE
1	1	<p>Unit</p> <p>Model: Model 579 Fr Axle Load (lbs) 12000 Type: Tractor Rr Axle Load (lbs) 40000 Description: 579 G.C.W. (lbs): 80000</p> <p>Application Road Conditions: Intended Serv.: General Freight Class A (Highway) 100 Commodity: Other Commodity Class B (Hwy/Mtn) 0 Class C (Off-Hwy) 0 Class D (Off-Road) 0</p> <p>Body Type: Maximum Grade: 6 Length (ft): 0 Wheelbase (in): 188 Height (ft): 0.0 Overhang (in): 56 Max Laden Weight (lbs): 0 Fr Axle to BOC (in): 68.2 Cab to Axle (in): 119.8 Cab to EOF (in): 175.8</p> <p>Trailer No. of Trailer Axles: 2 Overall Comb. Length (in): 293</p> <p>Type: Van Length (ft): 53 Height (ft): 13.5 Special Req. United States Registry Kingpin Inset (in): 36 Corner Radius (in): 1</p> <p>Restrictions Length (ft): 65 Width (in): 102 Height (ft): 13.5</p> <p>Manufacturer/Model _____</p> <p>Warranty _____</p>	\$	\$
2		Delivery Time (After Receipt of Order)		
3		Freight	\$	
4		Total	\$	

Supplier Bid Submission Checklist:	
Supplier is responsible for meeting all bid requirements (including those not listed below):	
YES	NO : Invitation to Bid completed & signed
YES	NO : Supplier did <u>not</u> include their own terms and conditions
YES	NO : Form Of Proposal completed – all sections
YES	NO : Substitute W-9 completed
YES	NO : Suppliers bidding alternate equipment included complete literature and specifications with their bid. Failure to submit complete literature may be cause for rejection of bid.
YES	NO : Supplier meets all requirements throughout the Invitation to Bid

Substitute W-9 Form
 A completed, signed KCTCS Substitute W-9 form must be submitted with the bid. This information must be obtained prior to award of a contract. Bids received without a completed W-9 form may be rejected. A form has been attached for completion.



Substitute W-9
Revised 12/6/13

Substitute W-9 Form

Kentucky Community and Technical College System
300 North Main Street, Versailles, KY 40383

College:	System Office - Procure to Pay		
College Contact:	Sharon Bullard	College Contact Email:	sharon.bullard@kctcs.edu
College Contact Ph:	(859) 256-3225	College Contact Fax:	(859) 256-3124

To avoid Internal Revenue Service (IRS) mandated backup withholding KCTCS is required to obtain your Taxpayer Identification Number (TIN) for reporting income paid to you or your organization. KCTCS uses a Substitute W-9 Form to obtain certification of your TIN and retains this information in its secure payee/vendor database. This form may be completed online and then printed for signature. Tab to fields and populate with your information. New Vendors must complete the entire form. Existing Vendor's may the complete shaded area of form. New and updated forms must be signed and dated.

New Vendor (complete entire form) **Changes to existing vendor**

Federal Tax ID #: (Required) _____ TIN/EIN SSN

Legal Name used for purposes of IRS reporting _____

Business Name (if different from name used for purposes of IRS reporting) _____

Does your business accept credit Cards? Yes No If yes, Visa MC Other: _____

Type of Business (Required):

- | | | |
|---|---|--|
| <input type="checkbox"/> Corporation | <input type="checkbox"/> Government Entity | <input type="checkbox"/> Foreign Nonresident Individual |
| <input type="checkbox"/> Partnership | <input type="checkbox"/> Foreign Entity (other than individual) | <input type="checkbox"/> Limited Liability Company |
| <input type="checkbox"/> Non Profit/501(c) Entity | <input type="checkbox"/> U.S. Agent of Foreign Person/Entity | <input type="checkbox"/> Individual/Sole Proprietor (US Citizen) |
| <input type="checkbox"/> Exempt from backup withholding | | |

Other (Please Explain) _____

Business Classification (Required - Select only one - Does not apply to publically traded entities)

<input type="checkbox"/> Minority Business Enterprise/MBE (please choose one sub-classification at right): <i>Defined as a business at least 51% owned by one or more African-Americans, Hispanics, Native Americans, Asian Pacific Americans, Asian Indian Americans, and other groups as defined by Federal law.</i>	<input type="checkbox"/> Hispanic-American	<input type="checkbox"/> African-American
	<input type="checkbox"/> Asian-American	<input type="checkbox"/> American Indian
	<input type="checkbox"/> Other (explain):	
<input type="checkbox"/> Women-Owned Business Enterprise/WBE <i>Defined as a business at least 51% owned by one or more women.</i>	<input type="checkbox"/> Disadvantaged Business Enterprise/DBE <i>Defined as a business at least 51% owned by at least one differently-abled, socially, or economically disadvantaged individual as defined by Federal law.</i>	
<input type="checkbox"/> Veteran Owned Business/VOB <i>Defined as a business at least 51% owned and operated by a service veteran.</i>	<input type="checkbox"/> Disadvantaged Veteran Owned Business/DVOB <i>Defined as a business at least 51% owned and operated by a service veteran with a service-related disability of at least 10 percent.</i>	
<input type="checkbox"/> None of the Above	<input type="checkbox"/> Other (Explain):	

Certification

Under penalties of perjury, I certify that:

The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me), and I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding, and I am a U.S. person (including a U.S. resident alien).

Signature of U.S. Person	Date
Printed Name:	

Purchase Order		Purchase Order Information		<input type="checkbox"/> Check if remit address is same as PO address	
Preferred Method of Receiving Purchase Orders: <input type="checkbox"/> Email <input type="checkbox"/> Fax <input type="checkbox"/> Check if there is a change to your Purchase order address					
Vendor Name (if different from above)					
Order to Address					
City		State		Zip	
Sales Contact Name		Email for PO			
Sales Contact Phone		Fax for PO			
<input type="checkbox"/> Purchase Address - Change to					
Remittance		Remittance Address as it appears on your invoice			
Vendor Name (if different from above)					
Remit to Address					
City		State		Zip	
Remit to Contact Name		Email			
Remit to Phone		Fax			
<input type="checkbox"/> Remit to Address - Change to					

Whenever possible we desire to replace check payments with an electronic payment (ACH - direct deposit transfer). In order to switch your payment type if already established from paper check to electronic transfer we will need your bank account information entered on this substitute W-9 form. Your email address will only be used to notify you when an electronic payment is issued, to notify you of the issuance of a purchase order, or to notify you of other official business correspondence. Your e-mail and/or banking information will not be shared or distributed outside KCTCS' Business Services Division and will be used solely for KCTCS business applications.

Direct Deposit Information (All fields are required to receive ACH electronic direct deposit payments)	
Name on Bank Account:	
Bank Name (include branch name if applicable):	
Bank Routing Number (9-digit ABA #):	Bank Account Number:
Mark only one (should match information noted above): <input type="checkbox"/> Checking: <input type="checkbox"/> Savings:	
E-mail address -- Please print LEGIBLY -- Required for electronic notification of payment to your bank account.	
Mark if this is a: <input type="checkbox"/> Establishment of a new direct deposit <input type="checkbox"/> Change of existing direct deposit	
Email change only <input type="checkbox"/> New email address to where payment notification to be sent:	

I hereby authorize and request KCTCS to initiate credit entries for payment to my account. If necessary, a debit entry may be made in accordance with National Automated Clearing House Association (NACHA) rules reversing a credit entry made in error at the financial institution named. The electronic payment data remains in effect until withdrawn by written notification to KCTCS, 300 North Main Street, Versailles, KY 40383.

PRINTED NAME

Authorized Signature

Date