



## INVITATION TO BID

**ATTENTION: This is not an order. Read all instructions, terms and conditions carefully.**

<b>INVITATION NO.:</b> KCT-01146	<b>RETURN ORIGINAL COPY OF BID TO:</b>
<b>Issue Date:</b> September 14, 2018	<b>KCTCS PROCUREMENT TO PAYMENT DEPT ATTN: BID # KCT-01106 300 NORTH MAIN STREET  VERSAILLES, KY 40383</b>
<b>Method of Award:</b> Best Value	
<b>Procurement Analyst:</b> Joe Mattingly	
<b>Email:</b> <a href="mailto:joe.mattingly@kctcs.edu">joe.mattingly@kctcs.edu</a>	
<b>Bids are invited on the following:</b> Machine Tool Mills	
<b>IMPORTANT: SEALED BIDS MUST BE RECEIVED BY September 27, 2018 by 4:00 PM EDT</b>	

1. Sealed Bids for furnishing the following will be received by the Procurement to Payment Department, KCTCS, Versailles, Kentucky, until the date and time stated above or in Addenda. ***Bid documents must be submitted in a sealed envelope identified with the Invitation to Bid number and the opening/return date on the face of the envelope***  
***FACSIMILE BIDS WILL NOT BE ACCEPTED.***
2. Please quote your single best net price on each item, unless a discount from list price is requested, delivered to the address specified, all transportation charges prepaid. Price shall include delivery to the department address shown on this Invitation. Submission of two (2) bids may result in disqualification of both bids.
3. Bids must be firm. Those containing escalator clauses cannot be accepted, unless provided for in Special Conditions. To receive consideration, bids must be made on this form and signed in full. Prices must be based on stated units and extended. Delivery guarantee must be shown. Bids will be rejected unless filled out in ink or on typewriter and signed in ink.
4. The KCTCS Sales Tax Exemption Number is A-20633. Certificate will be provided upon request. Do Not Quote Sales Tax. (...continued on following page.....)

**SIGNATURE REQUIRED: This bid cannot be considered valid unless signed and dated by an authorized agent of the bidder. Type or print the information requested in the spaces provided.**  
**ALL BIDS ARE TO BE "TRANSPORTATION CHARGES PREPAID, F.O.B. DESTINATION"**

### THIS AREA MUST BE COMPLETED

<b>DELIVERY TIME: (Days after receipt of order)</b>	NAME OF COMPANY	PHONE:
<b>BID FIRM THROUGH:</b>	NO. & STREET	FAX:
<b>PAYMENT TERMS: Net 30 days</b>	CITY, STATE & ZIP CODE	
<b>F.O.B. DESTINATION</b>	SIGNATURE	DATE:
<b>Email</b>		
<b>FEDERAL ID NUMBER (EIN):</b>	TYPED OR PRINTED NAME	

**In submitting this bid, it is expressly agreed that, upon proper acceptance by Kentucky Community and Technical College System of any or all items bid, a contract shall thereby be created with respect to the items accepted.**

**BIDS MAY ALSO BE VIEWED AT OUR WEBSITE:** [http://systemoffice.kctcs.edu/Vendor\\_Information](http://systemoffice.kctcs.edu/Vendor_Information).  
**All bids and contracts are subject to General Terms and Conditions of KCTCS. You may download/print a copy of these from our website or you may request a copy be mailed to you by contacting KCTCS Procurement to Payment Services at 859-256-3264.**

**AUTHENTICATION OF BID AND STATEMENT OF NON-COLLUSION AND NON-CONFLICT OF INTEREST**

- I hereby swear (or affirm) under the penalty for false swearing as provided by KRS 523.040:
1. That I am the bidder (if the bidder is an individual), a partner, (if the bidder is a partnership), or an officer or employee of the bidding corporation having authority to sign on its behalf (if the bidder is a corporation);
  2. That the attached bid has been arrived at by the bidder independently and has been submitted without collusion with, and without any agreement, understanding or planned common course of action with, any other Supplier of materials, supplies, equipment or services described in the Invitation to Bid, designed to limit independent bidding or competition;
  3. That the contents of the bid or bids have not been communicated by the bidder or its employees or agents to any person not an employee or agent of the bidder or its surety on any bond furnished with the bid or bids and will not be communicated to any such person prior to the official opening of the bid or bids;
  4. That the bidder is legally entitled to enter into contracts with KCTCS and is not in violation of any prohibited conflict of interest, including those prohibited by the provisions of KRS 164.390, 61.096, and 42.990, and;
  5. That I have fully informed myself regarding the accuracy of the statement made above.

**NOTICE**

1. Any agreement or collusion among bidders or prospective bidders which restrains, tends to restrain, or is reasonably calculated to restrain competition by agreement to bid at a fixed price or to refrain from bidding, or otherwise, is prohibited.
2. Any person who violates any provisions of KRS 45A.325 shall be guilty of a felony and shall be punished by a fine of not less than five thousand dollars nor more than ten thousand dollars, or be imprisoned not less than one year nor more than five years, or both such fine and imprisonment. Any firm, corporation, or association which violates any of the provisions of KRS 45A.325 shall, upon conviction, be fined not less than ten thousand dollars nor more than twenty thousand dollars.

**SWORN STATEMENT OF COMPLIANCE WITH CAMPAIGN FINANCE LAWS**

In accordance with KRS45A.110(2), the undersigned hereby swears under penalty of perjury that he/she has not knowingly violated any provision of the campaign finance laws of the Commonwealth of Kentucky and that the award of a contract to a bidder will not violate any provision of the campaign finance laws of the Commonwealth of Kentucky.

**CONTRACTOR REPORT OF PRIOR VIOLATIONS OF KRS CHAPTERS 136, 139, 141, 337, 338, 341 & 342**

The contractor by signing and submitting a bid on this invitation agrees as required by 45A.485 to submit final determinations of any violations of the provisions of KRS Chapters 136, 139, 141, 337, 338, 341 and 342 that have occurred in the previous five (5) years prior to the award of a contract and agrees to remain in continuous compliance with the provisions of the statutes during the duration of any contract that may be established. Final determinations of violations of these statutes must be provided to KCTCS by the successful contractor prior to the award of a contract.

**CERTIFICATION OF NON-SEGREGATED FACILITIES**

The contractor, by submitting a bid on this Invitation, certifies that he/she is in compliance with the Code of Federal Regulations, No. 41 CFR 60-1.8(b), that prohibits maintaining segregated facilities.

**INSTRUCTIONS TO BIDDERS:**

Bidder's response on the following items must include full identification of the item(s) proposed, and be accompanied by descriptive literature, etc., to enable the purchaser to evaluate qualifications of the item(s) proposed as equal to those specified. **ALL ALTERNATE QUOTATIONS MUST BE ACCOMPANIED BY COMPLETE LITERATURE AND SPECIFICATIONS TO EVALUATE ALTERNATE QUOTE AS EQUAL TO THAT SPECIFIED. FAILURE TO PROVIDE SUFFICIENT INFORMATION WILL BE CAUSE FOR REJECTION OF THE BID.**

When a Bidder proposes to furnish the exact item specified, he shall cite, beside the item, or use the Mfg. & Model No. Proposed blank that follows the line item as follows:

1. If bidding the manufacturer and model number specified in this Invitation, write in "AS SPECIFIED".
2. If bidding an alternate model, identify by manufacturer's number and model.
3. If bidding a private label model, identify as private label and show stock number.

**ALL BIDS ARE TO BE "TRANSPORTATION CHARGES PREPAID, F.O.B. DESTINATION"**

**METHOD OF AWARD**

Unless otherwise specified, it is the intent of KCTCS to award this Invitation to Bid on a Best Value basis. In the event no satisfactory bids are received, we reserve the right to award on a group award basis.

<b>Supplier Bid Submission Checklist:</b>	
Supplier is responsible for meeting all bid requirements (including those not listed below):	
YES	NO : Pg. 1 – Invitation to Bid completed & signed
YES	NO : Supplier did <u>not</u> include their own terms and conditions
YES	NO : Form of Proposal completed
YES	NO : Substitute W-9 completed
YES	NO : Supplier meets all requirements throughout the Invitation to Bid

**Important Dates (subject to change per applicable Addenda):**

September 19, 2018 @ 12:00 p.m, Noon, EDT      Deadline to submit questions. All questions must be emailed to [joe.mattingly@kctcs.edu](mailto:joe.mattingly@kctcs.edu).

September 27, 2018 @ 4:00 p.m. EDT              Deadline to submit bids.

**I. Scope**

You are invited to bid on the following **Machine Tool Mills** for the Kentucky Community and Technical College System (KCTCS), Jefferson Community & Technical College.

**II. Equipment**

Attached is the list of items required. All equipment proposed and delivered by the successful Supplier must be "New and Current Model(s)". **No used equipment or demonstrator models will be acceptable.** All serial number tags, FCC approval numbers, model numbers, etc. must be affixed on each piece of equipment at the time of delivery. Equipment will be inspected and rejected if these numbers are not affixed or have been altered.

Equipment Safety Requirements

All equipment offered against this Invitation to Bid must be in full compliance with all current safety standards as established by Federal, State, and Local governments, including, but not limited to, all current OSHA standards applicable to the manufacture, distribution, and use of said equipment. Furthermore, all equipment including the listing and labeling of the equipment, must meet the requirements stated in the current edition of NFPA 70 National Electrical Code and be certified by an independent testing laboratory as per National Electrical Code, NFPA 70, articles 110.3A, 110.3B and 90.7. Bidders, by completing and submitting a bid in response to this Invitation, do certify that any equipment proposed shall be in full compliance with all of the above applicable safety standards.

**III. Insurance**

Prior to the beginning of the contract, the contractor will furnish to the Procurement to Payment Department Certificates of Insurance that show it has and will maintain all insurance protection (including products liability insurance) at the contractor's expense.

Minimum liability coverage must be:

- Public Liability -Comprehensive General Owners, Landlords and Tenants
- Bodily Injury Liability
- Each Person \$1,000,000
- Each Occurrence \$1,000,000
- Property Damage Liability \$1,000,000
- Products Liability
- Each Person \$1,000,000
- Each Occurrence \$1,000,000
- Automobile Liability
- Bodily Injury
- Each Person \$1,000,000
- Each Occurrence \$1,000,000
- Personal Injury Liability
- Each Person \$1,000,000
- Property Damage Liability \$1,000,000
- Worker's Compensation Statutory
- Employers Liability \$ 500,000

The Kentucky Community and Technical College System must be named as an additional insured in the policy for Comprehensive General Liability. In the event of failure by the contractor to maintain, in force, insurance coverage

acceptable to KCTCS, KCTCS will have the right to terminate this Agreement immediately upon written notice to the contractor. Copies of the Insurance Certificates are to be furnished to the KCTCS Procurement to Payment Department. Modification of this requirement must be requested in writing with supporting statements, prior to the time of the bid submission.

**IV. Workers' Compensation Insurance and Unemployment Insurance**

KRS 45A.480 requires the Contractor/Contract Holder providing maintenance to State facilities to comply with the Commonwealth's requirements pertaining to workers' compensation insurance and unemployment insurance. This statute requires the Contractor or Contract Holder to provide the Commonwealth with an affidavit. The affidavit shall state that all contractors and subcontractors employed, or to be employed in connection with this contract shall be in compliance with Kentucky requirements for Workers' Compensation Insurance (KRS Chapter 342) and Unemployment Insurance (KRS Chapter 341). An affidavit form is included with this Invitation to Bid.

**V. Alternates**

Alternate equipment proposed by a bidder as equivalent must substantially meet or exceed the manufacturer's specifications for each product listed in this Invitation to Bid. Suppliers bidding alternate equipment must submit complete literature and specifications with their bid in order for an evaluation by KCTCS to be made. Failure to submit complete literature may be cause for rejection of bid.

**VI. Delivery**

All items are to be shipped F.O.B. Destination, all freight charges to be included in the price. The successful Supplier will be responsible for all equipment while in transit. Any freight claims will be the responsibility of the Supplier. The College will reject any damaged shipments and immediate notification will be given to the Supplier.

**I. Method of Award**

Best Value – Ranking Approach

KCTCS intends to award a Contract to the Bidder, whose offer, conforming to the Solicitation, is the most advantageous on the basis of "best value" for all products, services, and requirements contained herein.

An evaluation committee, or a designated individual, will evaluate the information provided by the Supplier in response to the established measurable criteria contained in the Solicitation.

**Measurable Criteria:**

**Price 95 Points**

**Delivery 5 Points**

**TOTAL POINTS 100 Points**

Each Supplier is responsible for submitting all relevant, factual and correct information with their offer to enable the evaluator(s) to afford each Supplier the maximum score based on the available data submitted by the Supplier. SUPPLIER SHALL ENTER UNIT PRICE AND TOTAL PRICE ON THE BID SHEET. If adequate space is not available, the Supplier must attach additional information that clearly cross-references the appropriate location in the solicitation (i.e. page number, paragraph, subject, etc.).

**Price (95 points)**

**The bidder with the lowest Price receives the maximum score.** The bidder with the next lowest Price receives points by dividing the lowest Price by the next lowest price and multiplying that percentage by the available points. For example, 95 points is allocated to the lowest Price criteria for this procurement, Bidder "A" bids \$3.00 as the lowest bidder and receives the maximum 95 points ( $\$3.00 / \$3.00 = 1.00 \times 95 = 95$ ). Assume Bidder "B" is the next lowest bidder at \$4.00, then "B" receives 67.5 points ( $\$3.00 / \$4.00 = .75 \times 95 = 71.25$ ).

**Delivery (5 points)**

**The supplier with the fastest delivery time will receive the maximum score and the supplier with the next fastest time will be scored by dividing the fastest supplier's time by the next best supplier's time and multiplying that percentage by the available points.** For this example, assume 10 days is the best delivery time, then that supplier receives 5 points ( $10/10 = 1 \times 5 = 5$ ). Assume twenty (20) days is the next best delivery time, then that supplier receives 2.5 points ( $10/20 = .5 \times 10 = 2.5$ ).

Best Value scoring is subject to Reciprocal Preference for Kentucky resident bidders.

**Method of Breaking Tie Bids:**

Tie low bids on the purchase of commodities may be broken in the following order if price and delivery are equal.

1. Time discount.
2. KRS 45A.494 Reciprocal preference to be given by public agencies to resident bidders -- List of states -- Administrative regulations. (4) If a procurement determination results in a tie between a resident bidder and a nonresident bidder, preference shall be given to the resident bidder.
3. Supplier who has performed satisfactorily in the past over supplier who has not previously served the KCTCS or who has not performed in satisfactory manner.
4. Flip of coin, witnessed by at least two KCTCS personnel.

The bid file shall be documented listing one or more of the above listed factors.

#### **VII. KENTUCKY RECIPROCAL PREFERENCE LAWS**

In accordance with KRS 45A.490 to 45A.494, Kentucky Resident Bidder Status, a resident Offeror of the Commonwealth of Kentucky shall be given a preference against a nonresident Offeror. In evaluating proposals, KCTCS will apply a reciprocal preference against an Offeror submitting a proposal from a state that grants residency preference equal to the preference given by the state of the nonresident Offeror. Residency and nonresidency shall be defined in accordance with KRS 45A.494(2) and 45A.494(3), respectively. Any Offeror claiming Kentucky residency status must submit with its bid/proposal a notarized affidavit (Resident Bidder Claim Form,) with supporting documentation affirming that it meets the criteria as set for in the above referenced statute.

Further, in accordance with KRS 45A.465 and 45A.470, any bidder wishing to claim qualified bidder status must complete and include an Affidavit for Qualified Bidder Status with their response. In evaluating responses, KCTCS will apply preference in accordance with KRS 45A.470. An Affidavit for Qualified Bidder Status forms is available from KCTCS Procurement to Payment, upon request.

#### **VIII. Authorization to do Business in Kentucky**

The Bidder affirms that it is properly authorized under the laws of the Commonwealth of Kentucky to conduct business in this state and will remain in good standing to do business in the Commonwealth of Kentucky for the duration of any contract awarded. The Bidder shall maintain certification of authority to conduct business in the Commonwealth of Kentucky during the term of this Contract. Such registration is obtained from the Secretary of State, who will also provide the certification thereof.

#### **IX. Bid Submittal**

Bids must be received no later than the date and time show on the front page of this Invitation to Bid. All bids must be received in a sealed envelope/package clearly identified with the Invitation to Bid Number in the lower left corner.

**Bidders shall not submit their standard terms and conditions with bid submission.**

#### **X. Multiple Bids**

Unless otherwise specified, only one price, brand and/or model may be proposed for each item on this Invitation to Bid. Bidders must determine their single best offering based on the manufacturers specified. Bids not conforming to this requirement may be rejected.

#### **XI. Kentucky Sales and Use Taxes**

Sales of tangible personal property or services to the State of Kentucky and its constitutional agencies are not subject to state sales or use taxes.

#### **XII. Compliance with Federal Requirements**

Where this procurement involves the expenditure of federal assistance or contract grant funds, the awarded contractor shall comply with such federal law and authorized regulations which are mandatory applicable and which are not presently set forth elsewhere in this solicitation. Office of Management and Budget Circular A-102, Appendix "O" requires but is not limited to, compliance with the following provisions;

- (1) All contracts awarded in excess of \$10,000 by grantees and their contractors or sub grantees require compliance with Executive Order 11246, entitled "Equal Employment Opportunity", as amended by Executive Order 11375, and as supplemented in Department of Labor regulations (41 CFR Part 60).
- (2) All negotiated contracts (except those awarded by small purchase procedures) awarded by grantees provide that the grantee, the Federal grantor agency, the Comptroller General of the United States, or any of their duly authorized representatives, shall have access to any books, documents, papers and records of the contractor which are directly pertinent to this specific contract, for the purpose of making audit, examination excerpts and transcriptions. Contractors are to maintain all required records for three years after grantees make final payments and all other pending matters are closed.

- (3) Contracts, subcontracts and subgrants of amounts in excess of \$100,000 requires compliance with all applicable standards, orders, or requirements issued under Section 306 of the Clean Air Act (42 U.S.C. 1857 (h), Section 508 of the Clean Water Act 33 U.S.C. 1368), Executive Order 11738 and Environmental Protection Agency regulations (40 CFR Part 15), which prohibit the use under non-exempt Federal contracts, grants or loans of facilities included on the EPA List of Violating Facilities. This provision requires reporting of violations to the grantor agency and to the U.S.E.P.A. Assistant

**XIII. Inspection**

All supplies and equipment shall be subject to inspection or tests by the college prior to acceptance. In the event supplies or equipment are defective in material or workmanship or otherwise not in conformity with specified requirements, the college shall have the right to reject them or require acceptable correction at the Supplier's expense.

**XIV. Damaged Materials**

When an order is received and found damaged, the Supplier will be notified immediately concerning the course of action necessary to resolve the situation. Should replacement materials be required, said material will be replaced within ten (10) working days, unless there is just cause shown that this requirement cannot be met. A notice of disposition for damaged materials will also be required within ten (10) working days, or KCTCS, will dispose of, or return, said materials at their convenience.

**XV. Rejection of Bids**

KCTCS reserves the right to reject any and all bids when it is in the best interest of KCTCS to do so.

**XVI. Cancellation of Bids**

KCTCS reserves the right to cancel the bid when it is in the best interest of KCTCS to do so.

**XVII. Warranty**

The manufacturer's most favorable warranty offered to preferred customers shall apply to all items. A copy of such warranty shall be furnished to the college upon delivery of the equipment or product.

**XVIII. Oral Discussions**

Potential bidders should clearly understand that any verbal representations made or assumed to be made during any oral discussions held between representatives of potential bidders and any State employee or official are not binding on the Commonwealth of Kentucky or its constitutional agencies or colleges.

**XIX. Compliance With State Laws**

Any contracts or orders placed as a result of an offer shall be governed by the laws of the Commonwealth of Kentucky. The rights and obligations of the parties thereto shall be determined in accordance with these laws. Any offer conditioned upon governance by the laws of a state other than Kentucky shall not be considered.

**XX. ADA Compliance**

When applicable (e.g. webpages) the Contractor's products and services will be in compliance with current Americans with Disability Act (ADA) requirements including the applicable current ADA Standards for Accessible Design, Section 508 of the Rehabilitation Act of 1973, as amended (29 U.S.C. 794d), Section 255 of the Communications Act, as amended and applicable regs.

**XXI. Post Contract Agreements**

The resulting contract and KCTCS Purchase Order shall constitute the entire agreement between the parties. Unless contractually provided, KCTCS will not be required to enter into nor sign any additional agreements, leases, company orders or other documents to complete or initiate the terms of a contract that may result from an award of this Invitation to Bid. Any documents obtained shall be non-binding on KCTCS and may be considered a breach of contract.

**XXII. Supplier Terms & Conditions**

Responses submitted that include any additional Supplier terms or conditions or contain terms and conditions in conflict with the Statutes of the Commonwealth of Kentucky shall be rejected. Suppliers shall refrain from imposing conditions that would modify the terms and conditions of the solicitation or limit the bidder's liability to KCTCS on the contract awarded on the basis of such Invitation.

**XXIII. Questions, Solicitation Sole Point of Contact - Restriction on Communication**

The KCTCS Procurement to Payment Department shall be the point of contact throughout the solicitation process regarding the terms and conditions contained in this Invitation to Bid. This does not preclude Suppliers who presently hold contracts with KCTCS from communicating with KCTCS individuals regarding existing contracts only.

Any explanation desired by a bidder regarding the meaning or interpretation of the solicitation, specifications, etc., must be requested in writing. Questions will not be addressed via telephone. Oral explanations or instructions given before the award of the contract will not be binding. In the event any item, requirement, term or condition of this Invitation to Bid is not clear, or is not according to regulation, it shall be the sole responsibility of the interested prospective bidder to inquire as to intent, or to state the exception in writing, via email or fax to:

**Joe Mattingly**

KCTCS Procurement to Payment Services

[Joe.mattingly@kctcs.edu](mailto:Joe.mattingly@kctcs.edu)

**All questions are to be submitted to the Procurement to Payment Services no later than September 19, 2018 @ 12:00 pm, NOON, EDT via email to [joe.mattingly@kctcs.edu](mailto:joe.mattingly@kctcs.edu). Phone calls will not be accepted.**

From the issue date of this Invitation until a contractor is selected and the selection is announced, bidders are not allowed to communicate with any KCTCS staff concerning this bid except via written questions submitted to the sole point of contact. This provision does not preclude bidders who presently hold contracts with KCTCS from communicating with the College regarding regular operations required to implement existing contracts.

**XXIV. FORM OF PROPOSAL**  
**Bidder must bid on all line items to be considered for award.**

**Item Numbers provided by ACI Machine**

***FOR EDUCATIONAL PURPOSES ONLY***

Item#	Description	QTY	Unit Cost	Extended Price																																		
1	<p>Hurco VM 5i Mill</p> <p>Specifications:</p> <table border="1" data-bbox="180 499 1057 1262"> <tr> <td><b>X, Y, Z Axis Travel</b></td> <td>18 x 14 x 14 in (457 x 356 x 356 mm)</td> </tr> <tr> <td><b>Spindle Nose to Table</b></td> <td>4.0 in (101.6 mm)</td> </tr> <tr> <td><b>Table Size</b></td> <td>18 x 14 in (457 x 356 mm)</td> </tr> <tr> <td><b>Max Weight On Table</b></td> <td>500 lbs (227 kg)</td> </tr> <tr> <td><b>T-Slot Size</b></td> <td>3 x .71 in (3 x 18 mm)</td> </tr> <tr> <td><b>Peak Spindle Motor</b></td> <td>10 hp @ 1,450 rpm (7.5 kW @ 1,450 rpm)</td> </tr> <tr> <td><b>8k</b></td> <td>36 ft lbs (48.8 Nm @ 1,450 rpm)</td> </tr> <tr> <td><b>Number Of Tools</b></td> <td>16</td> </tr> <tr> <td><b>Tool Type</b></td> <td>CAT 40</td> </tr> <tr> <td><b>Max Tool Diameter</b></td> <td>3.5 in (90 mm)</td> </tr> <tr> <td><b>Max Tool Length</b></td> <td>7.9 in (200 mm)</td> </tr> <tr> <td><b>Max Tool Weight</b></td> <td>15.4 lb. (7 kg)</td> </tr> <tr> <td><b>Max Programmable Feedrate</b></td> <td>748 inches/minute (19 m/minute)</td> </tr> <tr> <td><b>Rapid Traverse X,Y,Z Axis</b></td> <td>748 in/min, 748 in/min, 748 in/min (19 m/minute, 19 m/minute, 19 m/minute)</td> </tr> <tr> <td><b>Machine Height</b></td> <td>94.1 in (2,390.1 mm)</td> </tr> <tr> <td><b>Required Floor Space</b></td> <td>64.3 x 114.3 in (1,633.2 x 2,903.2 mm)</td> </tr> <tr> <td><b>Machine Weight</b></td> <td>5,800 lbs (2,630 kg)</td> </tr> </table> <p>Includes:</p> <ul style="list-style-type: none"> <li>• Rigid Tap</li> <li>• WinMax Classic</li> <li>• DXF Import</li> <li>• Ultipocket</li> <li>• Swept Surface</li> <li>• Tool &amp; Material</li> <li>• N/C Conversational Merge</li> <li>• Kurt 6" vise</li> <li>• Techniks CT 40 Tool Holder package</li> <li>• 15 pieces of CT 40 general use tools</li> <li>• Face mill driver</li> <li>• 2 keyless drill chuck</li> <li>• Set of ER 32 and ER 16 collet chucks</li> <li>• 10 end mill holders</li> <li>• Rigging onto the floor</li> </ul> <p>Model/Mfg Bidding:</p> <hr/> <p>Warranty must be included with bid submitted:</p>	<b>X, Y, Z Axis Travel</b>	18 x 14 x 14 in (457 x 356 x 356 mm)	<b>Spindle Nose to Table</b>	4.0 in (101.6 mm)	<b>Table Size</b>	18 x 14 in (457 x 356 mm)	<b>Max Weight On Table</b>	500 lbs (227 kg)	<b>T-Slot Size</b>	3 x .71 in (3 x 18 mm)	<b>Peak Spindle Motor</b>	10 hp @ 1,450 rpm (7.5 kW @ 1,450 rpm)	<b>8k</b>	36 ft lbs (48.8 Nm @ 1,450 rpm)	<b>Number Of Tools</b>	16	<b>Tool Type</b>	CAT 40	<b>Max Tool Diameter</b>	3.5 in (90 mm)	<b>Max Tool Length</b>	7.9 in (200 mm)	<b>Max Tool Weight</b>	15.4 lb. (7 kg)	<b>Max Programmable Feedrate</b>	748 inches/minute (19 m/minute)	<b>Rapid Traverse X,Y,Z Axis</b>	748 in/min, 748 in/min, 748 in/min (19 m/minute, 19 m/minute, 19 m/minute)	<b>Machine Height</b>	94.1 in (2,390.1 mm)	<b>Required Floor Space</b>	64.3 x 114.3 in (1,633.2 x 2,903.2 mm)	<b>Machine Weight</b>	5,800 lbs (2,630 kg)	<b>1</b>	<b>\$</b>	<b>\$</b>
<b>X, Y, Z Axis Travel</b>	18 x 14 x 14 in (457 x 356 x 356 mm)																																					
<b>Spindle Nose to Table</b>	4.0 in (101.6 mm)																																					
<b>Table Size</b>	18 x 14 in (457 x 356 mm)																																					
<b>Max Weight On Table</b>	500 lbs (227 kg)																																					
<b>T-Slot Size</b>	3 x .71 in (3 x 18 mm)																																					
<b>Peak Spindle Motor</b>	10 hp @ 1,450 rpm (7.5 kW @ 1,450 rpm)																																					
<b>8k</b>	36 ft lbs (48.8 Nm @ 1,450 rpm)																																					
<b>Number Of Tools</b>	16																																					
<b>Tool Type</b>	CAT 40																																					
<b>Max Tool Diameter</b>	3.5 in (90 mm)																																					
<b>Max Tool Length</b>	7.9 in (200 mm)																																					
<b>Max Tool Weight</b>	15.4 lb. (7 kg)																																					
<b>Max Programmable Feedrate</b>	748 inches/minute (19 m/minute)																																					
<b>Rapid Traverse X,Y,Z Axis</b>	748 in/min, 748 in/min, 748 in/min (19 m/minute, 19 m/minute, 19 m/minute)																																					
<b>Machine Height</b>	94.1 in (2,390.1 mm)																																					
<b>Required Floor Space</b>	64.3 x 114.3 in (1,633.2 x 2,903.2 mm)																																					
<b>Machine Weight</b>	5,800 lbs (2,630 kg)																																					



	<p>Guaranteed Delivery Date:</p> <p>_____</p>																																													
<p>1a</p>	<p>REQUIRED - Must be <i>either listed and labeled by a nationally recognized testing laboratory (NRTL) or certified by field evaluation and labeled by a third party acceptable to the authority having jurisdiction in Kentucky to certify compliance with applicable codes and safety requirements</i></p> <p>YES or NO _____ listed and labeled by a nationally recognized testing laboratory (NRTL)?</p> <p>YES or NO _____ certified by field evaluation and labeled by a third party acceptable to the authority having jurisdiction in Kentucky to certify compliance with applicable codes and safety requirements?</p> <p>Indicate the nationally recognized testing laboratory (NRTL) providing the listing or third party providing the field evaluation and certification</p> <p>_____</p>	<p>1</p>	<p>\$</p>	<p>COST OF ELECTRICAL CERTIFICATION (if not included in above machine cost)</p> <p>\$</p>																																										
<p>2</p>	<p>Hurco TM6i Mill</p> <p>Specifications:</p> <table border="1" data-bbox="181 856 928 1801"> <tr><td>Max Bar Capacity</td><td>1.75 in</td></tr> <tr><td>Distance Between Centers</td><td>15.8 in (403 mm)</td></tr> <tr><td>Swing Over Bed Diameter</td><td>15.94 in (405 mm)</td></tr> <tr><td>Swing Over Cross Slide Diameter</td><td>ø9.45 in (ø240 mm)</td></tr> <tr><td>X, Z Axis Travel</td><td>7 x 14 in (178 x 356 mm)</td></tr> <tr><td>Max. Turning Diameter</td><td>12.4 in (316 mm )</td></tr> <tr><td>Max. Turning Length</td><td>13.4 in (340 mm)</td></tr> <tr><td>Spindle Bore Diameter</td><td>ø2.20 in (ø56 mm)</td></tr> <tr><td>Max. Spindle Motor Torque</td><td>84 lb/ft @ 1090 rpm (113 Nm @ 1,090 rpm)</td></tr> <tr><td>Spindle RPM (Max)</td><td>6,000</td></tr> <tr><td>Spindle Power</td><td>17.5 hp (13 kw)</td></tr> <tr><td>Spindle Nose</td><td>A2-5</td></tr> <tr><td>Chuck Diameter</td><td>6 in (152 mm)</td></tr> <tr><td>Tool Capacity</td><td>12 Stations</td></tr> <tr><td>Tool Type</td><td>Slotted Disc</td></tr> <tr><td>Turret Index Time-Adjacent</td><td>0.5 seconds</td></tr> <tr><td>Turret Index Time-Furthest</td><td>1.5 seconds</td></tr> <tr><td>Rapid Traverse X,Z Axis</td><td>1181, 1181 in/min (30, 30 m/min)</td></tr> <tr><td>Machine Height</td><td>84.4 in (2,144 mm)</td></tr> <tr><td>Required floor space</td><td>154.6 x 99.4 in (3,927 x 2,525 mm)</td></tr> <tr><td>Machine Weight</td><td>7,054 lb (3,200 kg)</td></tr> </table> <p>Includes:</p> <ul style="list-style-type: none"> <li>• Tail Stock</li> <li>• WinMax Classic</li> <li>• Rigit Tap</li> <li>• DXF Transfer</li> </ul>	Max Bar Capacity	1.75 in	Distance Between Centers	15.8 in (403 mm)	Swing Over Bed Diameter	15.94 in (405 mm)	Swing Over Cross Slide Diameter	ø9.45 in (ø240 mm)	X, Z Axis Travel	7 x 14 in (178 x 356 mm)	Max. Turning Diameter	12.4 in (316 mm )	Max. Turning Length	13.4 in (340 mm)	Spindle Bore Diameter	ø2.20 in (ø56 mm)	Max. Spindle Motor Torque	84 lb/ft @ 1090 rpm (113 Nm @ 1,090 rpm)	Spindle RPM (Max)	6,000	Spindle Power	17.5 hp (13 kw)	Spindle Nose	A2-5	Chuck Diameter	6 in (152 mm)	Tool Capacity	12 Stations	Tool Type	Slotted Disc	Turret Index Time-Adjacent	0.5 seconds	Turret Index Time-Furthest	1.5 seconds	Rapid Traverse X,Z Axis	1181, 1181 in/min (30, 30 m/min)	Machine Height	84.4 in (2,144 mm)	Required floor space	154.6 x 99.4 in (3,927 x 2,525 mm)	Machine Weight	7,054 lb (3,200 kg)	<p>1</p>	<p>\$</p>	<p>\$</p>
Max Bar Capacity	1.75 in																																													
Distance Between Centers	15.8 in (403 mm)																																													
Swing Over Bed Diameter	15.94 in (405 mm)																																													
Swing Over Cross Slide Diameter	ø9.45 in (ø240 mm)																																													
X, Z Axis Travel	7 x 14 in (178 x 356 mm)																																													
Max. Turning Diameter	12.4 in (316 mm )																																													
Max. Turning Length	13.4 in (340 mm)																																													
Spindle Bore Diameter	ø2.20 in (ø56 mm)																																													
Max. Spindle Motor Torque	84 lb/ft @ 1090 rpm (113 Nm @ 1,090 rpm)																																													
Spindle RPM (Max)	6,000																																													
Spindle Power	17.5 hp (13 kw)																																													
Spindle Nose	A2-5																																													
Chuck Diameter	6 in (152 mm)																																													
Tool Capacity	12 Stations																																													
Tool Type	Slotted Disc																																													
Turret Index Time-Adjacent	0.5 seconds																																													
Turret Index Time-Furthest	1.5 seconds																																													
Rapid Traverse X,Z Axis	1181, 1181 in/min (30, 30 m/min)																																													
Machine Height	84.4 in (2,144 mm)																																													
Required floor space	154.6 x 99.4 in (3,927 x 2,525 mm)																																													
Machine Weight	7,054 lb (3,200 kg)																																													

	<ul style="list-style-type: none"> <li>• N/C Conversational Merge</li> <li>• 10 KVA transformer, 480 to 230 volt 3 phase operation</li> <li>• Tooling Package</li> <li>• Rigging onto the floor</li> </ul> <p>Model/Mfg Bidding: _____</p> <p>Warranty must be included with bid submitted: _____</p> <p>Guaranteed Delivery Date: _____</p>			
2a	<p>REQUIRED - Must be <i>either listed and labeled by a nationally recognized testing laboratory (NRTL) or certified by field evaluation and labeled by a third party acceptable to the authority having jurisdiction in Kentucky to certify compliance with applicable codes and safety requirements</i></p> <p>YES or NO _____ listed and labeled by a nationally recognized testing laboratory (NRTL)?</p> <p>YES or NO _____ certified by field evaluation and labeled by a third party acceptable to the authority having jurisdiction in Kentucky to certify compliance with applicable codes and safety requirements?</p> <p>Indicate the nationally recognized testing laboratory (NRTL) providing the listing or third party providing the field evaluation and certification _____</p>	<b>1</b>	<b>\$</b>	<p>COST OF ELECTRICAL CERTIFICATION (if not included in above machine cost)</p> <p style="text-align: center;"><b>\$</b></p>
	<p><b>GRAND TOTAL</b> <b>(freight charges to be included in Unit Cost)</b></p>	<p><b>\$</b></p>		

## **Kentucky Community and Technical College System Procurement to Payment Services Department**

### **MEMORANDUM**

**TO: Potential Bidders Responding to KCTCS Quotes/Bids**

**FROM: Bekka Korosec, Procurement to Payment Analyst  
KCTCS Procurement to Payment Services**

**RE: KCTCS Listing or Certification Requirements for Equipment or Assemblies of Equipment**

The Kentucky Community and Technical College System is a public institution of higher education organized under the laws of the Commonwealth of Kentucky. As such the authority having jurisdiction in Kentucky requires that equipment used in our facilities be either listed and labeled by a nationally recognized testing laboratory (NRTL) or certified by field evaluation and labeled by a third party acceptable to the authority having jurisdiction in Kentucky to certify compliance with applicable codes and safety requirements.

Providers of equipment listing or third party certification services are included but not limited to those indicated in the attached Excel spreadsheet. Manufacturers may use any NRTL or other third party acceptable to the authority having jurisdiction in Kentucky to certify compliance with applicable codes and safety requirements.

All equipment and assemblies of equipment offered in response to this Invitation to Bid shall be in full compliance with the above referenced listing or certification requirements. If a listing does not exist or third party certification cannot be provided for said equipment, the services of a Professional Engineer licensed in the Commonwealth of Kentucky may also be procured by the bidder to certify that the equipment has been constructed in accordance with NFPA 79 and UL 508A standards and their references.

**All costs associated with required listings or certifications shall be included in the bid price.** Each piece of equipment or assembly of equipment offered in response to this bid shall either be listed and labeled or certified and labeled prior to shipment by the successful bidder.

## Listing fo Field Evaluators

NAME	STREET	CITY	STATE	ZIP	PHONE	E-MAIL	WEB
ESA/CSA International dba ESA Field Evaluation	1 Terrence Matthews Crescent, Suite 130	Ottawa	Ontario	K2M 2G3	800-559-5356 or 613-271-1489	<a href="mailto:field.evaluation@electricalsafety.on.ca">field.evaluation@electricalsafety.on.ca</a>	<a href="http://www.esasafe.com">www.esasafe.com</a>
CertifiGroup	901 Sheldon Drive 12	Cary	NC	27513	800-422-1651	<a href="mailto:info@CertifyGroup.com">info@CertifyGroup.com</a>	<a href="http://www.certifygroup.com/pages/field.htm">http://www.certifygroup.com/pages/field.htm</a>
TUV-Rheinland of North America, Inc.	Commerce Road	Newtown	CT	06470	203-426-0888	<a href="mailto:info@tuv.com">info@tuv.com</a>	<a href="http://www.us.tuv.com/contact/index.aspx">http://www.us.tuv.com/contact/index.aspx</a>
QPS America, Inc.	912 County Road 27 333	Estillfork	AL	35745- 8048	877-746-4777	<a href="mailto:info@qps.ca">info@qps.ca</a>	<a href="http://www.qps.ca/">http://www.qps.ca/</a>
Underwriters Laboratories	Pfingsten Road 914 W.	Northbrook	IL	60062- 2096	847-854-3577		<a href="http://www.ul.com/contact.html">http://www.ul.com/contact.html</a>
MET Laboratories, Inc. Emerson Process Management, Mobile Area Service Center	Patapsco Ave.  5380 Business Pkwy #1	Baltimore	MD	21230	800-638-6057	<a href="mailto:info@metlabs.com">info@metlabs.com</a>	<a href="http://www.metlabs.com/pages/direct.html">http://www.metlabs.com/pages/direct.html</a>
Intertek Testing Services NA, Inc.	1717 Arlingate Lane 2701	Columbus	OH	43228	614-279-8090	<a href="mailto:andy.gbur@intertek.com">andy.gbur@intertek.com</a>	<a href="http://www.intertek-etlsemko.com/portal/page/cust_portal/TK_PGR/">http://www.intertek-etlsemko.com/portal/page/cust_portal/TK_PGR/</a>
Pfeiffer Engineering Co.	Lindsay Avenue	Louisville	KY	40206- 2222	502-897-1630 or 502-417-9358	<a href="mailto:jcp@pfeiffereng.com">jcp@pfeiffereng.com</a> <a href="mailto:joe@echopowerengineering.com">joe@echopowerengineering.com</a>	<a href="http://www.PfeifferEng.com">www.PfeifferEng.com</a>
Echo Power Engineering, LLC	1002 S. Graycroft Ave	Madison	TN	37115	615-692-9472 or 615-796-5131	<a href="mailto:scotty@echopowerengineering.com">scotty@echopowerengineering.com</a>	<a href="http://www.echopowerengineering.com">www.echopowerengineering.com</a>

**Substitute W-9 Form**

A completed, signed KCTCS Substitute W-9 form must be submitted with the bid. This information must be obtained prior to award of a contract. Bids received without a completed W-9 form may be rejected. A form has been attached for completion.



<b>Purchase Order</b>		<b>Purchase Order Information</b>		<input type="checkbox"/> Check if remit address is same as PO address	
Preferred Method of Receiving Purchase Orders: <input type="checkbox"/> Email <input type="checkbox"/> Fax <input type="checkbox"/> Check if there is a change to your Purchase order address					
Vendor Name (if different from above)					
Order to Address					
City			State	Zip	
Sales Contact Name			Email for PO		
Sales Contact Phone			Fax for PO		
<input type="checkbox"/> Purchase Address – Change to					
<b>Remittance</b>		<b>Remittance Address as it appears on your invoice</b>			
Vendor Name (if different from above)					
Remit to Address					
City			State	Zip	
Remit to Contact Name			Email		
Remit to Phone			Fax		
<input type="checkbox"/> Remit to Address – Change to					

Wherever possible we desire to replace check payments with an electronic payment (ACH - direct deposit transfer). In order to switch your payment type if already established from paper check to electronic transfer we will need your bank account information entered on this substitute W-9 form. Your email address will only be used to notify you when an electronic payment is issued, to notify you of the issuance of a purchase order, or to notify you of other official business correspondence. Your e-mail and/or banking information will not be shared or distributed outside KCTCS' Business Services Division and will be used solely for KCTCS business applications.

<b>Direct Deposit Information (All fields are required to receive ACH electronic direct deposit payments)</b>	
Name on Bank Account:	
Bank Name (include branch name if applicable):	
Bank Routing Number (9-digit ABA #):	Bank Account Number:
Mark only one (should match information noted above): <input type="checkbox"/> Checking: <input type="checkbox"/> Savings:	
<b>E-mail address -- Please print LEGIBLY -- Required for electronic notification of payment to your bank account.</b>	
Mark if this is a: <input type="checkbox"/> Establishment of a new direct deposit <input type="checkbox"/> Change of existing direct deposit	
Email change only <input type="checkbox"/> New email address to where payment notification to be sent:	

I hereby authorize and request KCTCS to initiate credit entries for payment to my account. If necessary, a debit entry may be made in accordance with National Automated Clearing House Association (NACHA) rules reversing a credit entry made in error at the financial institution named. The electronic payment data remains in effect until withdrawn by written notification to KCTCS, 300 North Main Street, Versailles, KY 40383.

PRINTED NAME

Authorized Signature

Date